The ClinGen Evidence Repository is an **FDA-recognized human genetic variant database** containing expert-curated assertions regarding variants' pathogenicity and supporting evidence summaries. [Disclaimer]

Variant: NM_000277.2(PAH):c.511G>A (p.Gly171Arg)

CA229598

102716 (ClinVar)

Gene: PAH (HGNC:5053)
Condition: phenylketonuria (MONDO:0009861)
Inheritance Mode: Autosomal recessive inheritance
UUID: 0dbfb1dc-9c9b-4fbe-b1a1-37b190aafe51
Approved on: 2018-08-10
Published on: 2018-12-10

HGVS expressions

NM_000277.2:c.511G>A
NM_000277.2(PAH):c.511G>A (p.Gly171Arg)
NC_000012.12:g.102855331C>T
CM000674.2:g.102855331C>T
NC_000012.11:g.103249109C>T
CM000674.1:g.103249109C>T
NC_000012.10:g.101773239C>T
NG_008690.1:g.67272G>A
NG_008690.2:g.108080G>A
NM_000277.1:c.511G>A
NM_001354304.1:c.511G>A
NM_000277.3:c.511G>A
ENST00000307000.7:c.496G>A
ENST00000549111.5:n.607G>A
ENST00000551988.5:n.532G>A
ENST00000553106.5:c.511G>A

Likely Pathogenic

Met criteria codes 4

PM3_Strong PP3 PP4_Moderate PM2

Evidence Links 2

Expert Panel

Phenylketonuria VCEP

Criteria Specification Information

Criteria Specifications for this VCEP

Evidence submitted by expert panel

Phenylketonuria VCEP

PAH-specific ACMG/AMP criteria applied: PM2: Absent from ExAC, gnomAD, 1000G, ESP; PP3: Deleterious effect predicted in SIFT, Polyphen-2, MutationTaster. REVEL=0.966; PP4_Moderate: Detected in PKU patients. BH4 deficiency assessed. Upgraded per ClinGen PAH EP. (PMID:26600521; PMID:23430918); PM3_Strong: Detected with c.611A>G (P/LP) and R408W (P). Upgraded per ClinGen SVI workgroup. (PMID:23430918; PMID:26600521). In summary this variant meets criteria to be classified as likely pathogenic for phenylketonuria in an autosomal recessive manner based on the ACMG/AMP criteria applied as specified by the PAH Expert Panel: (PM2, PP3, PP4_Moderate, PM3_Strong).

Met criteria codes

PM3_Strong	✔	Detected with c.611A>G (P/LP) and R408W (P). Upgraded per ClinGen SVI workgroup. EX6-96G>A (c.611A>G) (P/LP) maternal, G171R paternal PubMed:26600521 Patient Genotype: p.G171R/ p.R408W PubMed:23430918
PP3	✔	Deleterious effect predicted in SIFT, Polyphen-2, MutationTaster. REVEL=0.966
PP4_Moderate	✔	Detected in PKU patients. BH4 deficiency assessed. Upgraded per ClinGen PAH EP. Detected in 1 PKU patient: PKU (>450 umol/L). PubMed:23430918 Phe>120 uM, no BH4 defect, in trans with EX6-96G>A PubMed:26600521
PM2	✔	Absent from ExAC, gnomAD, 1000G, ESP

Curation History

Showing 1 to 1 of 1 rows

See Report	Preferred Variant Title	Classification	Condition	Published Date	Version	Criteria Specification	Gene
View	NM_000277.2(PAH):c.511G>A (p.Gly17…	Likely Pathogenic	Phenylketonuria	2019-05-04	1.0	-	PAH

Showing 1 to 1 of 1 rows

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.

ClinGen Terms of Use.
¤ Powered by BCM's Genboree.