The ClinGen Evidence Repository is an **FDA-recognized human genetic variant database** containing expert-curated assertions regarding variants' pathogenicity and supporting evidence summaries. [Disclaimer]

Variant: NM_000546.6(TP53):c.379T>A (p.Ser127Thr)

Version: 1.0

CA397843929

824232 (ClinVar)

Gene: TP53 (HGNC:7157)
Condition: Li-Fraumeni syndrome (MONDO:0018875)
Inheritance Mode: Autosomal dominant inheritance
UUID: 0edde57d-6d76-4c13-9c87-b8d41d53c381
Approved on: 2026/2/5
Published on: 2026/2/10

HGVS expressions

NM_000546.6(TP53):c.379T>A (p.Ser127Thr)
NM_000546.6:c.379T>A
NC_000017.11:g.7675233A>T
CM000679.2:g.7675233A>T
NC_000017.10:g.7578551A>T
CM000679.1:g.7578551A>T
NC_000017.9:g.7519276A>T
NG_017013.2:g.17318T>A
ENST00000503591.2:c.379T>A
ENST00000508793.6:c.379T>A
ENST00000509690.6:c.-18T>A
ENST00000514944.6:c.100T>A
ENST00000604348.6:c.376-18T>A
ENST00000269305.9:c.379T>A
ENST00000269305.8:c.379T>A
ENST00000359597.8:c.379T>A
ENST00000413465.6:c.379T>A
ENST00000420246.6:c.379T>A
ENST00000445888.6:c.379T>A
ENST00000455263.6:c.379T>A
ENST00000503591.1:c.379T>A
ENST00000504290.5:c.-18T>A
ENST00000504937.5:c.-18T>A
ENST00000505014.5:n.635T>A
ENST00000508793.5:c.379T>A
ENST00000509690.5:c.-18T>A
ENST00000510385.5:c.-18T>A
ENST00000514944.5:c.100T>A
ENST00000604348.5:c.376-18T>A
ENST00000610292.4:c.262T>A
ENST00000610538.4:c.262T>A
ENST00000610623.4:c.-99T>A
ENST00000615910.4:c.346T>A
ENST00000617185.4:c.379T>A
ENST00000618944.4:c.-99T>A
ENST00000619186.4:c.-99T>A
ENST00000619485.4:c.262T>A

ENST00000620739.4:c.262T>A
ENST00000622645.4:c.262T>A
ENST00000635293.1:c.262T>A
NM_000546.5:c.379T>A
NM_001126112.2:c.379T>A
NM_001126113.2:c.379T>A
NM_001126114.2:c.379T>A
NM_001126115.1:c.-18T>A
NM_001126116.1:c.-18T>A
NM_001126117.1:c.-18T>A
NM_001126118.1:c.262T>A
NM_001276695.1:c.262T>A
NM_001276696.1:c.262T>A
NM_001276697.1:c.-99T>A
NM_001276698.1:c.-99T>A
NM_001276699.1:c.-99T>A
NM_001276760.1:c.262T>A
NM_001276761.1:c.262T>A
NM_001276695.2:c.262T>A
NM_001276696.2:c.262T>A
NM_001276697.2:c.-99T>A
NM_001276698.2:c.-99T>A
NM_001276699.2:c.-99T>A
NM_001276760.2:c.262T>A
NM_001276761.2:c.262T>A
NM_001126112.3:c.379T>A
NM_001126113.3:c.379T>A
NM_001126114.3:c.379T>A
NM_001126115.2:c.-18T>A
NM_001126116.2:c.-18T>A
NM_001126117.2:c.-18T>A
NM_001126118.2:c.262T>A
NM_001276695.3:c.262T>A
NM_001276696.3:c.262T>A
NM_001276697.3:c.-99T>A
NM_001276698.3:c.-99T>A
NM_001276699.3:c.-99T>A
NM_001276760.3:c.262T>A
NM_001276761.3:c.262T>A

Likely Pathogenic

Met criteria codes 4

PS3 PP4_Moderate PM2_Supporting PP3

Not Met criteria codes 7

PS4 BP4 PM1 PM5 BA1 BS1 BS3

Evidence Links 0

Expert Panel

TP53 VCEP

Criteria Specification Information

Criteria Specification: *ClinGen TP53 Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for TP53 Version 2.4.0*

Criteria Specification Approval History

Criteria Specifications for this VCEP

Evidence submitted by expert panel

TP53 VCEP

The NM_000546.6(TP53):c.379T>A variant in TP53 is a missense variant predicted to cause substitution of serine by threonine at amino acid 127 (p.Ser127Thr). This variant is absent from gnomAD v4.1.0 (PM2_Supporting). This variant received a total of 0.5 points across 1 proband (PS4 not met; Internal lab contributors). At least two individuals with this variant were found to have a variant allele fraction of 5-25%, which is a significant predictor of variant pathogenicity (PP4_Moderate, PMID: 34906512, Internal lab contributor). In vitro assays performed in yeast and/or human cell lines showed non-functional transactivation and loss of growth suppression activity by the majority of available assays indicating that this variant impacts protein function (PS3; PMIDs: 12826609, 30224644, 29979965, 39774325). Computational predictor scores (BayesDel = 0.428891; Align GVGD = Class C55) are above recommended thresholds (BayesDel > 0.16 and an Align GVGD Class of > 15), evidence that correlates with impact to TP53 via protein change (PP3). In summary, this variant meets the criteria to be classified as Likely Pathogenic for Li Fraumeni syndrome based on the ACMG/AMP criteria applied, as specified by the ClinGen TP53 VCEP: PP4_Moderate PM2_supporting, PS3, PP3. (Bayesian Points: 8; VCEP specifications version 2.4).

Met criteria codes

PS3	✔	In vitro assays performed in yeast and/or human cell lines showed non-functional transactivation and loss of growth suppression activity by the majority of available assays indicating that this variant impacts protein function (PS3; PMIDs: 12826609, 30224644, 29979965, 39774325).
PP4_Moderate	✔	At least two individuals with this variant were found to have a variant allele fraction of 5-25%, which is a significant predictor of variant pathogenicity (PP4_Moderate, PMID: 34906512, Internal lab contributor).
PM2_Supporting	✔	This variant is absent from gnomAD v4.1.0 (PM2_Supporting).
PP3	✔	Computational predictor scores (BayesDel = 0.428891; Align GVGD = Class C55) are above recommended thresholds (BayesDel > 0.16 and an Align GVGD Class of > 15), evidence that correlates with impact to TP53 via protein change (PP3).

Not Met criteria codes

PS4	✖	This variant received a total of 0.5 points across 1 proband. However, PS4 cannot be applied because it does not meet the minimum requirements (PS4 not met; Internal lab contributors).
BP4	✖	No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PM1	✖	This variant does not reside within a region of TP53 that is defined as a mutational hotspot by the ClinGen TP53 VCEP (PM1 not met).
PM5	✖	4 different missense variants (p.Ser127Tyr, p.Ser127Cys, p.Ser127Phe, p.Ser127Pro) in the same codon have been reported (ClinVar Variation IDs: 656751, 219532, 182928, 934410). However, these variants do not meet criteria for PM5 code application as all variant have higher Grantham scores (PM5 not met).
BA1	✖	

			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BS1		✖	No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BS3		✖	No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline

Curation History

Showing 1 to 1 of 1 rows

See Report	Preferred Variant Title	Classification	Condition	Published Date	Version	Criteria Specification	Gene
View	NM_000546.6(TP53):c.379T>A (p.Ser1…	Likely Pathogenic	Li-Fraumeni Syndrome	2026-02-10	1.0	ClinGen TP53 Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for TP53 Version 2.4.0	TP53

Showing 1 to 1 of 1 rows

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.

ClinGen Terms of Use.
⌑ Powered by BCM's Genboree.