

Variant: NM_000407.5:c.266A>C

Version: 1.0

CA410676943 [↗](#)

Gene: GP1BB ([HGNC:2812](#))

Condition: Bernard-Soulier syndrome ([MONDO:0009276](#))

Inheritance Mode: Autosomal recessive inheritance

UUID: 0fa0a643-c8f1-40a0-8416-a79ce90cb156

Approved on: 2026/4/2

Published on: 2026/4/2

HGVS expressions

NM_000407.5:c.266A>C

NC_000022.11:g.19724109A>C

CM000684.2:g.19724109A>C

NC_000022.10:g.19711632A>C

CM000684.1:g.19711632A>C

NC_000022.9:g.18091632A>C

NG_007974.1:g.5567A>C

ENST00000366425.4:c.266A>C

ENST00000366425.3:c.266A>C

ENST00000431044.5:c.*1351A>C

ENST00000455843.5:c.*1351A>C

ENST00000470814.1:n.2238A>C

NM_000407.4:c.266A>C

NR_037611.1:n.4006A>C

NR_037612.1:n.2510A>C

Likely Pathogenic

Met criteria codes **6**

PS3_Supporting

PM3_Supporting

PM5_Supporting

PP3_Moderate

PP4

PM2_Supporting

Evidence Links **0**

Expert Panel

[Platelet Disorders VCEP](#) [↗](#)

Criteria Specification Information

[↗](#) **Criteria Specification:** *ClinGen Platelet Disorders Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for GP1BB Version 1.1.0*

[↗](#) **Criteria Specification Approval History**

[↗](#) **Criteria Specifications for this VCEP**

Evidence submitted by expert panel

Platelet Disorders VCEP

The c.266A>C variant in GP1BB is a missense variant predicted to cause substitution of Asparagine by Threonine at amino acid 89 (p.Asn89Thr). At least one patient (Patient S.B. in PMID: 12693941) with this variant had less than 10% expression of GP9 measured by flow cytometry, which is highly specific for Bernard-Soulier syndrome. Additionally, the patient had excessive mucocutaneous bleeding and

macrothrombocytopenia which are consistent with Bernard-Soulier syndrome (PP4). This individual was homozygous for the variant (0.5 PM3 points, PM3_Supporting). Surface expression of the GPIb-IX complex measured by flow cytometry in CHO cells transiently co-transfected with the Asn89Thr variant GP1b and wild type GP1a and GP9 showed undetectable expression, indicating that this variant impacts protein function (PMID: 12693941)(PS3_supporting). Another missense variant NM_000407.5(GP1BB):c.265A>G (p.Asn89Asp) in the same codon has been classified as Likely Pathogenic for Bernard-Soulier syndrome by the ClinGen PD VCEP (PM5_supporting). The computational predictor REVEL gives a score of 0.926, which is above the ClinGen PD VCEP threshold of >0.773 and predicts a damaging effect on GP1BB function (PP3_Moderate). The highest MAF in gnomAD v4.1.0 is 0.0000009068 (based on 1/1102800 alleles) in the European (non-Finnish) population, which is lower than the ClinGen PD VCEP threshold (<0.00006517; PM2_Supporting). In summary, this variant meets the criteria to be classified as Likely Pathogenic for autosomal recessive Bernard-Soulier syndrome based on the ACMG/AMP criteria applied, as specified by the ClinGen PD VCEP: PP4, PP3_Moderate, PM2_Supporting, PM3_Supporting, PM5_supporting and PS3_Supporting (VCEP specifications version 1.1).

Met criteria codes

PS3_Supporting			Surface expression of the GPIb-IX complex measured by flow cytometry in CHO cells transiently co-transfected with the Asn89Thr variant GP1b and wild type GP1a and GP9 showed undetectable expression, indicating that this variant impacts protein function (PMID: 12693941)(PS3_supporting).
PM3_Supporting			This variant has been detected in at least 1 proband with Bernard-Soulier syndrome (Proband S.B. in PMID: 12693941). This individual was homozygous for the variant (0.5 PM3 points, PM3_Supporting).
PM5_Supporting			Another missense variant NM_000407.5(GP1BB):c.265A>G (p.Asn89Asp) in the same codon has been classified as Likely Pathogenic for Bernard-Soulier syndrome by the ClinGen PD VCEP (PM5).
PP3_Moderate			The computational predictor REVEL gives a score of 0.926, which is above the ClinGen PD VCEP threshold of >0.773 and predicts a damaging effect on GP1BB function (PP3).
PP4			At least one patient (Patient S.B. in PMID: 12693941) with this variant had less than 10% expression of GP9 measured by flow cytometry, which is highly specific for Bernard-Soulier syndrome. Additionally, the patient had excessive mucocutaneous bleeding and macrothrombocytopenia which are consistent with Bernard-Soulier syndrome (PP4).
PM2_Supporting			The highest MAF in gnomAD v4.1.0 is 0.0000009068 (based on 1/1102800 alleles) in the European (non-Finnish) population, which is lower than the ClinGen PD VCEP threshold (<0.00006517 ; PM2_Supporting).

Curation History 

▼

▼

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.