The ClinGen Evidence Repository is an **FDA-recognized human genetic variant database** containing expert-curated assertions regarding variants' pathogenicity and supporting evidence summaries. [Disclaimer]

Variant: NM_000277.2(PAH):c.535T>A (p.Tyr179Asn)

CA229613

102729 (ClinVar)

Gene: PAH (HGNC:5053)
Condition: phenylketonuria (MONDO:0009861)
Inheritance Mode: Autosomal recessive inheritance
UUID: 1530f57a-9096-4f98-a934-15ce8f576c73
Approved on: 2018-08-10
Published on: 2018-12-10

HGVS expressions

NM_000277.2:c.535T>A
NM_000277.2(PAH):c.535T>A (p.Tyr179Asn)
NC_000012.12:g.102855307A>T
CM000674.2:g.102855307A>T
NC_000012.11:g.103249085A>T
CM000674.1:g.103249085A>T
NC_000012.10:g.101773215A>T
NG_008690.1:g.67296T>A
NG_008690.2:g.108104T>A
NM_000277.1:c.535T>A
NM_001354304.1:c.535T>A
NM_000277.3:c.535T>A
ENST00000307000.7:c.520T>A
ENST00000549111.5:n.631T>A
ENST00000551988.5:n.556T>A
ENST00000553106.5:c.535T>A

Likely Pathogenic

Met criteria codes 4

PP3 PM3 PM2 PP4_Moderate

Evidence Links 1

Expert Panel

Phenylketonuria VCEP

Criteria Specification Information

Criteria Specifications for this VCEP

Evidence submitted by expert panel

Phenylketonuria VCEP

PAH-specific ACMG/AMP criteria applied: PM2: Absent from ExAC, gnomAD, 1000G, ESP; PP3: Deleterious effect predicted in SIFT, Polyphen-2, MutationTaster. REVEL=0.929; PP4_Moderate: Detected in 1 PKU patient, primary BH4 deficiency excluded. Upgraded per ClinGen PAH EP. (PMID:23430918); PM3: Detected with c.1066-11G>A (P) (PMID:23430918). In summary this variant meets criteria to be classified as likely pathogenic for phenylketonuria in an autosomal recessive manner based on the ACMG/AMP criteria applied as specified by the PAH Expert Panel: (PM2, PP3, PP4_Moderate, PM3).

Met criteria codes

PP3	✔	Deleterious effect predicted in SIFT, Polyphen-2, MutationTaster. REVEL=0.929
PM3	✔	Detected with c.1066-11G>A (P) Patient genotype: p.Y179N: c.1066-11G>A PubMed:23430918
PM2	✔	Absent from ExAC, gnomAD, 1000G, ESP
PP4_Moderate	✔	Detected in 1 PKU patient, primary BH4 deficiency excluded. Upgraded per ClinGen PAH EP. Detected in 1 PKU patient: previously documented Phe level >360 umol/L and a Phe level >450 umol/L at the screening visit. Patients with a diagnosis of primary BH4 deficiency were excluded from the study. PubMed:23430918

Curation History

Showing 1 to 1 of 1 rows

See Report	Preferred Variant Title	Classification	Condition	Published Date	Version	Criteria Specification	Gene
View	NM_000277.2(PAH):c.535T>A (p.Tyr17...	Likely Pathogenic	Phenylketonuria	2019-08-17	1.0	-	PAH

Showing 1 to 1 of 1 rows

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.

ClinGen Terms of Use.
¤ Powered by BCM's Genboree.