

Variant: *NM\_000277.2(PAH):c.1012G>T (p.Asp338Tyr)*

Version: 1.0

CA229269 [↗](#)

102468 (ClinVar) [↗](#)

**Gene:** PAH ([HGNC:5053](#))

**Condition:** phenylketonuria ([MONDO:0009861](#))

**Inheritance Mode:** Autosomal recessive inheritance

**UUID:** 2237dbe2-a983-4dcc-8838-57eb31ccb465

**Approved on:** 2020/11/9

**Published on:** 2022/2/20

### HGVS expressions

**NM\_000277.2(PAH):c.1012G>T (p.Asp338Tyr)**

**NM\_000277.2:c.1012G>T**

NC\_000012.12:g.102844389C>A

CM000674.2:g.102844389C>A

NC\_000012.11:g.103238167C>A

CM000674.1:g.103238167C>A

NC\_000012.10:g.101762297C>A

NG\_008690.1:g.78214G>T

NG\_008690.2:g.119022G>T

ENST00000553106.6:c.1012G>T

ENST00000307000.7:c.997G>T

ENST00000549247.6:n.771G>T

ENST00000551114.2:n.674G>T

ENST00000553106.5:c.1012G>T

ENST00000635477.1:c.116G>T

ENST00000635528.1:n.527G>T

NM\_000277.1:c.1012G>T

NM\_001354304.1:c.1012G>T

NM\_000277.3:c.1012G>T

NM\_001354304.2:c.1012G>T

**Pathogenic**

**Met criteria codes** **3**

PP4\_Moderate

PM3\_Very Strong

PM2

**Not Met criteria codes** **2**

PP3

PM5

**Evidence Links** **3**

Expert Panel

Phenylketonuria VCEP [↗](#)

Criteria Specification Information **!**

[↗](#) **Criteria Specifications for this VCEP**

Evidence submitted by expert panel

**Phenylketonuria VCEP**

The c.1012G>T (p.Asp338Tyr) variant in PAH has been reported in multiple individuals with PAH deficiency (BH4 deficiency excluded, PMID: 27121329, PMID: 21147011). This variant has an extremely low allele frequency in gnomAD (MAF=0.00002). This variant was detected with multiple pathogenic variants: p.P281L (PMID: 16601866); p.F299C (PMID: 7913581); p.I65T (PMID: 17502162); c.1066-11G>A (PMID: 31623983); p.Arg261\*, p.Phe55Leu (PMID: 26655635). Multiple lines of computational evidence do not agree on predicted pathogenicity (Deleterious in SIFT, PolyPhen, Polymorphism in MutationTaster). In summary, this variant meets criteria to be classified as pathogenic for PAH. PAH-specific ACMG/AMP criteria applied: PM3\_very-strong, PM2, PP4\_Moderate.

Met criteria codes

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                   |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PP4_Moderate                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |    | D338Y was found in 3 PKU patients. A defect in the synthesis or regeneration pathways of 6R-BH4 was ruled out by analyzing urinary pterin levels as well as by measuring the dihydropteridine reductase activity. PMID: 27121329, PMID: 21147011, PMID: 7913581                                                                                                                           |
| <p>Fifty-five PKU probands contributed DNA. A G-&gt;T transversion in codon 338 (D338Y) of exon 10 occurred on one French Canadian chromosome, is on Hp4, and abolishes a HinfI site (fig. 1, middle). <a href="#">PubMed:7913581</a></p> <p>588 hyperphenylalaninemic patients were investigated. Assessment included PAH gene and genes of the BH4 synthesis/recycling pathways (PTS and QDPR). D338Y was found in one homozygous PKU patient. <a href="#">PubMed:21147011</a></p> |                                                                                   |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                           |
| PM3_Very Strong                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |    | D338Y seen in trans with 2 pathogenic variants in 2 PKU patents (P281L, PMID: 16601866; F299C, PMID: 7913581) and with c.194T>C (p.I65T, P) parental analysis not reported PMID: 17502162; c.1066-11G>A (P), p.G352C (VUS) parental analysis not reported PMID: 31623983; p. [Arg261*]; [Asp338Tyr]; p.[Phe55Leu]; [Asp338Tyr] P/LP parental analysis not reported PMID: 26655635 4.0 pts |
| <p>D338Y seen in trans with P281L (VarID 589, Pathogenic in ClinVar) in 1 patient with mild PKU. All the mutations identified were confirmed by analysing parental DNA. <a href="#">PubMed:16601866</a></p> <p>Seen in 1 PKU patient. The mother of the proband carries the D338Y mutation; the paternal mutation is F299C (VarID 613, Pathogenic/LP in ClinVar). <a href="#">PubMed:7913581</a></p>                                                                                 |                                                                                   |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                           |
| PM2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                   |  | Absent in 1000G, ESP. Extremely low frequency in ExAC (0.00001) and gnomAD (MAF=0.00002)                                                                                                                                                                                                                                                                                                  |

Not Met criteria codes

|     |                                                                                     |                                                                                     |                                                               |
|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------|
| PP3 |  |  | Deleterious in SIFT, PolyPhen, Polymorphism in MutationTaster |
| PM5 |  |  | Only variant in this codon in ClinVar                         |

Curation History [↗](#)

▼

▼

Showing 1 to 1 of 1 rows

|  |
|--|
|  |
|--|

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.