

Variant: *NM_000162.5(GCK):c.449T>C (p.Phe150Ser)*

Version: 1.0

CA213784 [↗](#)

36218 (ClinVar) [↗](#)

Gene: GCK ([HGNC:2645](#))

Condition: monogenic diabetes ([MONDO:0015967](#))

Inheritance Mode: Semidominant inheritance

UUID: 2f1f3c66-5829-44e1-a27b-080c80bfdb5f

Approved on: 2024/3/22

Published on: 2024/3/22

HGVS expressions

NM_000162.5(GCK):c.449T>C (p.Phe150Ser)

NM_000162.5:c.449T>C

NC_000007.14:g.44150990A>G

CM000669.2:g.44150990A>G

NC_000007.13:g.44190589A>G

CM000669.1:g.44190589A>G

NC_000007.12:g.44157114A>G

NG_008847.1:g.43434T>C

NG_008847.2:g.52181T>C

ENST00000395796.8:c.*447T>C

ENST00000616242.5:c.449T>C

ENST00000682635.1:n.935T>C

ENST00000345378.7:c.452T>C

ENST00000403799.8:c.449T>C

ENST00000671824.1:c.449T>C

ENST00000673284.1:c.449T>C

ENST00000345378.6:c.452T>C

ENST00000395796.7:c.446T>C

ENST00000403799.7:c.449T>C

ENST00000437084.1:c.398T>C

ENST00000616242.4:c.446T>C

NM_000162.3:c.449T>C

NM_033507.1:c.452T>C

NM_033508.1:c.446T>C

NM_000162.4:c.449T>C

NM_001354800.1:c.449T>C

NM_033507.2:c.452T>C

NM_033508.2:c.446T>C

NM_033507.3:c.452T>C

NM_033508.3:c.446T>C

Pathogenic

Met criteria codes

6

PS4

PP1_Strong

PP2

PP3

PM5

PM2_Supporting

Evidence Links

0

Expert Panel

Monogenic Diabetes VCEP

Criteria Specification Information

Criteria Specification:

ClinGen Monogenic Diabetes Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for GCK Version 1.3.0

Criteria Specification Approval History

Criteria Specifications for this VCEP

Evidence submitted by expert panel

Monogenic Diabetes VCEP The c.449T>C variant in the glucokinase gene, GCK, causes an amino acid change of phenylalanine to serine at codon 150 (p.(Phe150Ser)) of NM_000162.5. GCK is defined by the ClinGen MDEP as a gene that has a low rate of benign missense variation and has pathogenic missense variants as a common mechanism of disease (PP2). This variant is predicted to be deleterious by computational evidence, with a REVEL score of 0.983, which is greater than the MDEP VCEP threshold of 0.70 (PP3). This variant has a gnomAD v4.0.0 Popmax filtering allele frequency of 0 (below the MDEP threshold of 0.000003), and ≤ 2 copies observed in the European non-Finnish population and any other subpopulation, thereby meeting the ClinGen MDEP criteria for PM2_Supporting (PM2_Supporting). This variant was identified in at least 28 unrelated individuals with hyperglycemia (PS4; PMIDs: 15305805, 30191644, internal lab contributors). This variant segregated with hyperglycemia, with at least 19 informative meioses in multiple families (PP1_Strong; internal lab contributors). Another missense variant, c.449T>A p.Phe150Tyr has been interpreted as pathogenic by the ClinGen MDEP, and p.Phe150Ser has a greater Grantham distance (PM5). In summary, c.449T>C meets the criteria to be classified as pathogenic for monogenic diabetes. ACMG/AMP criteria applied, as specified by the ClinGen MDEP (specification version 1.3.0 approved 8/11/2023): PS4, PP1_Strong, PM2_Supporting, PP3, PP2, PM5.			
Met criteria codes			
PS4			This variant was identified in at least 28 unrelated individuals with hyperglycemia (PS4; PMIDs: 15305805, 30191644, internal lab contributors).
PP1_Strong			This variant segregated with hyperglycemia, with at least 19 informative meioses in multiple families (PP1_Strong; internal lab contributors).
PP2			GCK is defined by the ClinGen MDEP as a gene that has a low rate of benign missense variation and has pathogenic missense variants as a common mechanism of disease (PP2).
PP3			This variant is predicted to be deleterious by computational evidence, with a REVEL score of 0.983, which is greater than the MDEP VCEP threshold of 0.70 (PP3).
PM5			Another missense variant, c.449T>A p.Phe150Tyr has been interpreted as pathogenic by the ClinGen MDEP, and p.Phe150Ser has a greater Grantham distance (PM5).
PM2_Supporting			This variant has a gnomAD v4.0.0 Popmax filtering allele frequency of 0 (below the MDEP threshold of 0.000003), and ≤ 2 copies observed in the European non-Finnish population and any other subpopulation, thereby meeting the ClinGen MDEP criteria for PM2_Supporting (PM2_Supporting).

Curation History [↗](#)

⛶

☰ ▾

⬇️ ▾

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.