

Variant: *NM_000059.4(BRCA2):c.7857G>C (p.Trp2619Cys)*

Version: 1.0

CA387747060 [↗](#)

438744 (ClinVar) [↗](#)

Gene: BRCA2 ([HGNC:675](#))

Condition: BRCA2-related cancer predisposition ([MONDO:0700269](#))

Inheritance Mode: Autosomal dominant inheritance

UUID: 4c506160-1353-4a2b-9c8f-f9ea4e682aff

Approved on: 2025/5/23

Published on: 2025/5/23

HGVS expressions

NM_000059.4:c.7857G>C

NM_000059.4(BRCA2):c.7857G>C (p.Trp2619Cys)

NC_000013.11:g.32362574G>C

CM000675.2:g.32362574G>C

NC_000013.10:g.32936711G>C

CM000675.1:g.32936711G>C

NC_000013.9:g.31834711G>C

NG_012772.3:g.52095G>C

ENST00000470094.2:c.7857G>C

ENST00000528762.2:c.7857G>C

ENST00000530893.7:c.7488G>C

ENST00000665585.2:c.7857G>C

ENST00000666593.2:c.7857G>C

ENST00000700202.2:c.7857G>C

ENST00000700202.1:c.324G>C

ENST00000380152.8:c.7857G>C

ENST00000544455.6:c.7857G>C

ENST00000614259.2:c.7865G>C

ENST00000665585.1:c.422G>C

ENST00000680887.1:c.7857G>C

ENST00000380152.7:c.7857G>C

ENST00000544455.5:c.7857G>C

ENST00000614259.1:n.7865G>C

NM_000059.3:c.7857G>C

Likely Pathogenic

Met criteria codes **3**

PS3

PP3

PM2_Supporting

Not Met criteria codes **2**

BP5

PP4

Evidence Links **2**

Expert Panel

[ENIGMA BRCA1 and BRCA2 VCEP](#) [↗](#)

Criteria Specification Information

[↗](#) **Criteria Specification:** ClinGen ENIGMA BRCA1 and BRCA2 Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for BRCA2 Version 1.1.0

[↗](#) **Criteria Specification Approval History**

[↗](#) **Criteria Specifications for this VCEP**

ENIGMA BRCA1 and BRCA2 VCEP

The variant c.7857G>C in BRCA2 is a missense variant predicted to cause substitution of Tryptophan by Cysteine at amino acid 2619 (p.Trp2619Cys). This variant is absent from gnomAD v2.1 (exomes only, non-cancer subset, read depth ≥25) and gnomAD v3.1 (non-cancer subset, read depth ≥25) (PM2_Supporting met). This BRCA2 missense variant is within a key functional domain and the computational predictor BayesDel (noAF) gives a score of 0.49, above the recommended threshold of 0.30 for prediction of impact on BRCA2 function via protein change. A SpliceAI score of 0.17 indicates an unclear predicted impact on splicing (score threshold 0.10-0.20) (PP3 met). Reported by four calibrated studies to exhibit protein function similar to pathogenic control variants (PMIDs: 38417439, 32444794, 39779857, 39779848) (PS3 met). Multifactorial likelihood ratio analysis using clinically calibrated data produced a combined LR for this variant of 1.81 (based on Family History LR=1.81), which is above the ENIGMA BRCA1/2 VCEP threshold for BP5 (>0.48) and below PP4 (<2.08) (BP5 and PP4 not met; PMIDs 31853058). In summary, this variant meets the criteria to be classified as a likely pathogenic variant for BRCA2-related cancer predisposition based on the ACMG/AMP criteria applied as specified by the ENIGMA BRCA1/2 VCEP (PS3, PM2_Supporting, PP3).

Met criteria codes

PS3			Reported by four calibrated studies to exhibit protein function similar to pathogenic control variants (PMIDs: 38417439, 32444794, 39779857, 39779848) (PS3 met).
			Variant classified as fClass 4 or 5 based on viability after exposure to 3 different PARP-I PubMed:32444794  This variant was non-functional in a homology-directed DNA repair (HDR) assay PubMed:33609447 
PP3			This BRCA2 missense variant is within a key functional domain and the computational predictor BayesDel (noAF) gives a score of 0.49, above the recommended threshold of 0.30 for prediction of impact on BRCA2 function via protein change. A SpliceAI score of 0.17 indicates an unclear predicted impact on splicing (score threshold 0.10-0.20) (PP3 met).
PM2_Supporting			This variant is absent from gnomAD v2.1 (exomes only, non-cancer subset, read depth ≥25) and gnomAD v3.1 (non-cancer subset, read depth ≥25) (PM2_Supporting met).

Not Met criteria codes

BP5			Multifactorial likelihood ratio analysis using clinically calibrated data produced a combined LR for this variant of 1.81 (based on Family History LR=1.81), which is above the ENIGMA BRCA1/2 VCEP threshold for BP5 (>0.48) and below PP4 (<2.08) (BP5 and PP4 not met; PMIDs 31853058).
PP4			Multifactorial likelihood ratio analysis using clinically calibrated data produced a combined LR for this variant of 1.81 (based on Family History LR=1.81), which is above the ENIGMA BRCA1/2 VCEP threshold for BP5 (>0.48) and below PP4 (<2.08) (BP5 and PP4 not met; PMIDs 31853058). Li et al, 2020, (PMID: 31853058): log(LR)=0.257565, 1 proband --> LR=1.81



 ▾

 ▾

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.