

Variant: NM_002880.3(RAF1):c.781C>T (p.Pro261Ser)

CA257062 [↗](#)

13958 (ClinVar) [↗](#)

Gene: RAF1 ([HGNC:5894](#))

Condition: Noonan syndrome ([MONDO:0018997](#))

Inheritance Mode: Autosomal dominant inheritance

UUID: 563677cb-406b-41f7-9c7d-7fc9d73cbb2

Approved on: 2017-04-03

Published on: 2018-12-10

HGVS expressions

NM_002880.3(RAF1):c.781C>T (p.Pro261Ser)

NM_002880.3:c.781C>T

NC_000003.12:g.12604189G>A

CM000665.2:g.12604189G>A

NC_000003.11:g.12645688G>A

CM000665.1:g.12645688G>A

NC_000003.10:g.12620688G>A

NG_007467.1:g.64991C>T

NM_001354689.1:c.781C>T

NM_001354690.1:c.781C>T

NM_001354691.1:c.538C>T

NM_001354692.1:c.538C>T

NM_001354693.1:c.682C>T

NM_001354694.1:c.538C>T

NM_001354695.1:c.439C>T

NR_148940.1:n.1196C>T

NR_148941.1:n.1196C>T

NR_148942.1:n.1196C>T

ENST00000251849.8:c.781C>T

ENST00000416093.1:c.*359C>T

ENST00000423275.5:c.*458C>T

ENST00000432427.2:n.418C>T

ENST00000442415.6:c.781C>T

ENST00000465826.5:n.25C>T

ENST00000491290.1:n.302C>T

Pathogenic

Met criteria codes **5**

PM6_Strong

PS3

PP2

PM2

PM1

Evidence Links **2**

Expert Panel

RASopathy VCEP [↗](#)

Criteria Specification Information **!**

[↗](#) **Criteria Specifications for this VCEP**

RASopathy VCEP

The c.781C>T (p.Pro261Ser) variant in RAF1 has been reported in the literature in at least 2 unconfirmed de novo occurrences in patients with clinical features of a RASopathy (PM6_Strong; PMID 17603482, 20683980). In vitro functional studies provide some evidence that the p.Pro261Leu variant may impact protein function (PS3; PMID 17603483, 17603482). Furthermore, the variant is in a location that has been defined by the ClinGen RASopathy Expert Panel to be a mutational hotspot or domain of RAF1 (PM1; PMID 29493581). This variant was absent from large population studies (PM2; ExAC, <http://exac.broadinstitute.org>). The variant is located in the RAF1 gene, which has been defined by the ClinGen RASopathy Expert Panel as a gene with a low rate of benign missense variants and pathogenic missense variants are common (PP2; PMID: 29493581). In summary, this variant meets criteria to be classified as pathogenic for RASopathies in an autosomal dominant manner. ACMG/AMP criteria applied: PP2, PM1, PM2, PS3, PM6_Strong.

Met criteria codes

PM6_Strong			The c.781C>T (p.Pro261Ser) variant in RAF1 has been reported in the literature in at least 2 unconfirmed de novo occurrences in patients with clinical features of a RASopathy (PM6; PMID 17603482, 20683980).
			The c.781C>T (p.Pro261Ser) variant in RAF1 has been reported in the literature in at least 2 unconfirmed de novo occurrences in patients with clinical features of a RASopathy (PM6; PMID 17603482, 20683980). PubMed:20683980 
			The c.781C>T (p.Pro261Ser) variant in RAF1 has been reported in the literature in at least 2 unconfirmed de novo occurrences in patients with clinical features of a RASopathy (PM6; PMID 17603482, 20683980). PubMed:17603482 
PS3			In vitro functional studies provide some evidence that the p.Pro261Leu variant may impact protein function (PS3; PMID 17603483, 17603482).
			In vitro functional studies provide some evidence that the p.Pro261Leu variant may impact protein function (PS3; PMID 17603483, 17603482). PubMed:17603482 
PP2			The variant is located in the RAF1 gene, which has been defined by the ClinGen RASopathy Expert Panel as a gene with a low rate of benign missense variants and pathogenic missense variants are common (PP2; PMID: 29493581)
PM2			This variant was absent from large population studies (PM2; ExAC, http://exac.broadinstitute.org).
PM1			Domain defined by RAS EP: CR2 domain [aa 251-266/ex7]; exons 14, exon 17

Curation History 

▾

▾

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.