The ClinGen Evidence Repository is an **FDA-recognized human genetic variant database** containing expert-curated assertions regarding variants' pathogenicity and supporting evidence summaries. [Disclaimer]

Variant: NM_002755.4(MAP2K1):c.370C>T (p.Pro124Ser)

Version: 2.0

CA16602456

375981 (ClinVar)

Gene: MAP2K1 (HGNC:5604)
Condition: RASopathy (MONDO:0021060)
Inheritance Mode: Autosomal dominant inheritance
UUID: 5725ca85-ac7d-4884-bdcb-d5ee4a24cee6
Approved on: 2025/1/10
Published on: 2025/9/26

HGVS expressions

NM_002755.4(MAP2K1):c.370C>T (p.Pro124Ser)
NM_002755.4:c.370C>T
NC_000015.10:g.66436824C>T
CM000677.2:g.66436824C>T
NC_000015.9:g.66729162C>T
CM000677.1:g.66729162C>T
NC_000015.8:g.64516216C>T
NG_008305.1:g.54952C>T
ENST00000684779.1:c.304C>T
ENST00000685172.1:c.370C>T
ENST00000685763.1:c.291+1587C>T
ENST00000686347.1:c.370C>T
ENST00000687191.1:n.806C>T
ENST00000689951.1:c.370C>T
ENST00000691077.1:c.370C>T
ENST00000691576.1:c.370C>T
ENST00000691937.1:c.370C>T
ENST00000692487.1:c.370C>T
ENST00000692683.1:c.304C>T
ENST00000693150.1:c.304C>T
ENST00000307102.10:c.370C>T
ENST00000307102.9:c.370C>T
ENST00000425818.2:n.881C>T
NM_002755.3:c.370C>T

Pathogenic

Met criteria codes 8

PP2 PP3 PM1 PM5 PM2_Supporting PS3_Supporting PS2_Very Strong PS4_Moderate

Not Met criteria codes 2

BA1 BS1

Evidence Links 0

Expert Panel

RASopathy VCEP

Criteria Specification Information

Criteria Specification: *ClinGen RASopathy Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for MAP2K1 Version 2.3.0*
Criteria Specification Approval History
Criteria Specifications for this VCEP

Evidence submitted by expert panel

RASopathy VCEP

The NM_002755.4:c.370C>T variant in MAP2K1 is a missense variant predicted to cause substitution of proline by serine at amino acid 124 (p.Pro124Ser). This variant was absent from gnomAD v2.1.1 (PM2_Supporting). The computational prediction tool REVEL gives a score of 0.855, suggesting that this variant may impact the protein (PP3). The p.Pro124Ser variant is located in the MAP2K1 gene, which has been defined by the ClinGen RASopathy Expert Panel as a gene with a low rate of benign missense variants and pathogenic missense variants are common (PP2). The variant is in a location that has been defined by the ClinGen RASopathy Expert Panel to be a critical domain of MAP2K1 (AA 124-134, PM1). Furthermore, 4 different (likely) pathogenic variants at this residue (Pro124Leu, Pro124Arg, Pro124Ala, Pro124Gln) have been identified in several patients with RASopathies (PM5). This variant has been observed in at least 7 probands with a RASopathy, of which 3 were reported as a de novo occurrence with confirmed parental relationships and 1 was assumed to be de novo (PS2_VeryStrong, PS4_Moderate; PMIDs: 36777711, 32978145, GeneDx, LabCorp, ClinVar SCV000572401.6, SCV003316958.3). In vitro functional studies showed that the p.Pro124Ser variant led to ERK1/2 phosphorylation indicating that the mutant was constitutively active (PS3_Supporting; PMID: 22197931). In summary, this variant meets criteria to be classified as pathogenic for autosomal dominant RASopathy based on the ACMG/AMP criteria applied, as specified by the ClinGen RASopathy Variant Curation Expert Panel: PS2_VeryStrong, PS4_Moderate, PM1, PM5, PS3_Supporting PM2_Supporting, PP2, PP3 (Specification Version 2.3, 1/10/2025)

Met criteria codes

PP2	✔	MAP2K1 is a missense-constrained gene. The gnomAD Z-score for missense variants in the gene is 3.76.
PP3	✔	The REVEL score is 0.855 and the variant is entirely conserved in UCSC database.
PM1	✔	It falls between amino acids 124 and 134 which is a critical functional domain.
PM5	✔	There were four other P/LP variants at this residue (P124L, P124R, P124A, P124Q), however PM3 was capped at moderate strength when applied in conjunction with PM1
PM2_Supporting	✔	This variant is absent from gnomAD v2.1.1
PS3_Supporting	✔	Compared to WT MAP2K1, the P124S variant caused increased phosphorylation of ERK1/2 in HEK293T cells. BRAFV600E was used as a positive control.
PS2_Very Strong	✔	This variant was observed in 4 de novo cases, of which 3 were with parental confirmation and 1 was assumed de novo.
PS4_Moderate	✔	This variant has been observed in at least 7 probands with a RASopathy (PMIDs: 36777711, 32978145, GeneDx, LabCorp, ClinVar SCV000572401.6, SCV003316958.3).

Not Met criteria codes

BA1	✖	This variant is absent from gnomAD v2.1.1

BS1	✖	This variant is absent from gnomAD v2.1.1	

Curation History

Showing 1 to 2 of 2 rows

See Report	Preferred Variant Title	Classification	Condition	Published Date	Version	Criteria Specification	Gene
View	NM_002755.4(MAP2K1):c.370C>T (p.Pr...	Pathogenic	RASopathy	2025-09-26	2.0	ClinGen RASopathy Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for MAP2K1 Version 2.3.0	MAP2K1
View	NM_002755.3(MAP2K1):c.370C>T (p.Pr...	Pathogenic	RASopathy	2020-07-02	1.0	-	MAP2K1

Showing 1 to 2 of 2 rows

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.

ClinGen Terms of Use.
¤ Powered by BCM's Genboree.