

Variant: NM_001130987.2(DYSF):c.4873C>T (p.Arg1625Ter)

Version: 1.0

CA222174 [↗](#)

94330 (ClinVar) [↗](#)

Gene: DYSF ([HGNC:8291](#))
Condition: autosomal recessive limb-girdle muscular dystrophy ([MONDO:0015152](#))
Inheritance Mode: Autosomal recessive inheritance
UUID: 7c197707-5386-4dad-acb3-5912cd701658
Approved on: 2025/4/16
Published on: 2025/5/16

HGVS expressions

NM_001130987.2:c.4873C>T
NM_001130987.2(DYSF):c.4873C>T (p.Arg1625Ter)
NC_000002.12:g.71658995C>T
CM000664.2:g.71658995C>T
NC_000002.11:g.71886125C>T
CM000664.1:g.71886125C>T
NC_000002.10:g.71739633C>T
NG_008694.1:g.210373C>T
ENST00000698057.1:c.2287C>T
ENST00000698058.1:c.1504C>T
ENST00000698059.1:c.1612C>T
ENST00000258104.8:c.4756C>T
ENST00000410020.8:c.4873C>T
ENST00000258104.7:c.4756C>T
ENST00000394120.6:c.4759C>T
ENST00000409366.5:c.4822C>T
ENST00000409582.7:c.4870C>T
ENST00000409651.5:c.4852C>T
ENST00000409744.5:c.4780C>T
ENST00000409762.5:c.4807C>T
ENST00000410020.7:c.4873C>T
ENST00000410041.1:c.4810C>T
ENST00000413539.6:c.4849C>T
ENST00000429174.6:c.4819C>T
ENST00000479049.6:n.1641C>T
NM_001130455.1:c.4759C>T
NM_001130976.1:c.4714C>T
NM_001130977.1:c.4777C>T
NM_001130978.1:c.4819C>T
NM_001130979.1:c.4849C>T
NM_001130980.1:c.4807C>T
NM_001130981.1:c.4870C>T
NM_001130982.1:c.4852C>T
NM_001130983.1:c.4822C>T
NM_001130984.1:c.4780C>T
NM_001130985.1:c.4810C>T
NM_001130986.1:c.4717C>T

NM_001130987.1:c.4873C>T
NM_003494.3:c.4756C>T
NM_001130455.2:c.4759C>T
NM_001130976.2:c.4714C>T
NM_001130977.2:c.4777C>T
NM_001130978.2:c.4819C>T
NM_001130979.2:c.4849C>T
NM_001130980.2:c.4807C>T
NM_001130981.2:c.4870C>T
NM_001130982.2:c.4852C>T
NM_001130983.2:c.4822C>T
NM_001130984.2:c.4780C>T
NM_001130985.2:c.4810C>T
NM_001130986.2:c.4717C>T
NM_003494.4:c.4756C>T

Pathogenic

Met criteria codes 3

PP4_Strong PVS1 PM3_Strong

Not Met criteria codes 1

PM2

Evidence Links 0

Expert Panel

Limb Girdle Muscular Dystrophy VCEP

Criteria Specification Information

- Criteria Specification: ClinGen Limb Girdle Muscular Dystrophy Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for DYSF Version 1.0.0
- Criteria Specification Approval History
- Criteria Specifications for this VCEP

Evidence submitted by expert panel

Limb Girdle Muscular Dystrophy VCEP

The NM_003494.4: c.4756C>T p.(Arg1586Ter) variant in DYSF, which is also known as NM_001130987.2: c.4873C>T p.(Arg1625Ter), is a nonsense variant predicted to cause a premature stop codon in biologically relevant exon 43/55, leading to nonsense mediated decay in a gene in which loss of function is an established disease mechanism (PVS1). This variant has been reported in at least five patients with features consistent with LGMD (PMID: 36983702; 23641709; 23530687; 11468312), including in a homozygous state in one individual without reported familial consanguinity (0.5 pts, PMID: 11468312) and in trans with a likely pathogenic or pathogenic variant in two individuals (NM_003494.4: c.265C>T p.(Arg89Ter), 1.0 pt, PMID: 23641709; NM_003494.4: c.3113G>C p.(Arg1038Pro), 1.0 pt, PMID: 36983702) (PM3_Strong). At least one patient with this variant and a second presumed diagnostic variant in DYSF had a clinical diagnosis of LGMD (Miyoshi myopathy) and absent dysferlin protein expression in both skeletal muscle and blood monocytes, which is highly specific for DYSF-related LGMD (PP4_Strong; PMID: 36983702; 33610434). The filtering allele frequency of this variant is 0.0001061 in gnomAD v4.1.0 exomes (the upper threshold of the 95% CI of 4/86258 South Asian chromosomes), which is greater than the ClinGen LGMD VCEP threshold (≤ 0.0001) (PM2_Supporting not met). In summary, this variant meets the criteria to be classified as Pathogenic for autosomal recessive limb girdle muscular dystrophy based on the ACMG/AMP criteria applied, as specified by the ClinGen LGMD VCEP (LGMD VCEP specifications version 1.0.0; 04/16/2025): PVS1, PM3_Strong, PP4_Strong.

Met criteria codes

PP4_Strong  

At least one patient with this variant and a second presumed diagnostic variant in DYSF had a clinical diagnosis of LGMD (Miyoshi myopathy) and absent dysferlin protein expression in both skeletal muscle and blood monocytes, which is highly specific for DYSF-related LGMD (PP4_Strong; PMID: 36983702, 33610434).

PVS1			The NM_003494.4: c.4756C>T p.(Arg1586Ter) variant in DYSF, which is also known as NM_001130987.2: c.4873C>T p.(Arg1625Ter), is a nonsense variant predicted to cause a premature stop codon in biologically relevant exon 43/55, leading to nonsense mediated decay in a gene in which loss of function is an established disease mechanism (PVS1).
PM3_Strong			This variant has been reported in at least five patients with features consistent with LGMD (PMID: 36983702, 23641709, 23530687, 11468312), including in a homozygous state in one individual without reported familial consanguinity (0.5 pts, PMID: 11468312) and in trans with a likely pathogenic or pathogenic variant in two individuals (c.265C>T p.(Arg89Ter), 1.0 pt, PMID: 23641709; c.3113G>C p.(Arg1038Pro), 1.0 pt, PMID: 36983702) (PM3_Strong). c.265C>T p.(Arg89Ter) can be classified as at least LP independently (PVS1, PM2_Supporting) c.3113G>C p.(Arg1038Pro) can be classified as at least LP independently (PM2_Supporting, PS3_Moderate, PP3, PM5)

Not Met criteria codes

PM2			The filtering allele frequency of this variant is 0.0001061 (the upper threshold of the 95% CI of 4/86258 South Asian exome chromosomes) in gnomAD v4.1.0, which is greater than the ClinGen LGMD VCEP threshold (≤ 0.0001) (PM2_Supporting not met).
-----	---	---	--

Curation History



 

 

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.