

Variant: NM_001130987.2(DYSF):c.268C>T (p.Arg90Ter)

Version: 1.0

CA275254 [↗](#)

197217 (ClinVar) [↗](#)

Gene: DYSF ([HGNC:8291](#))

Condition: autosomal recessive limb-girdle muscular dystrophy
([MONDO:0015152](#))

Inheritance Mode: Autosomal recessive inheritance

UUID: 8012ad07-ac5b-4609-a73d-0855852174e7

Approved on: 2025/4/16

Published on: 2025/5/16

HGVS expressions

NM_001130987.2:c.268C>T
NM_001130987.2(DYSF):c.268C>T (p.Arg90Ter)
NC_000002.12:g.71503242C>T
CM000664.2:g.71503242C>T
NC_000002.11:g.71730372C>T
CM000664.1:g.71730372C>T
NC_000002.10:g.71583880C>T
NG_008694.1:g.54620C>T
ENST00000258104.8:c.265C>T
ENST00000410020.8:c.268C>T
ENST00000258104.7:c.265C>T
ENST00000394120.6:c.268C>T
ENST00000409366.5:c.268C>T
ENST00000409582.7:c.265C>T
ENST00000409651.5:c.268C>T
ENST00000409744.5:c.268C>T
ENST00000409762.5:c.265C>T
ENST00000410020.7:c.268C>T
ENST00000410041.1:c.268C>T
ENST00000413539.6:c.265C>T
ENST00000429174.6:c.265C>T
NM_001130455.1:c.268C>T
NM_001130976.1:c.265C>T
NM_001130977.1:c.265C>T
NM_001130978.1:c.265C>T
NM_001130979.1:c.265C>T
NM_001130980.1:c.265C>T
NM_001130981.1:c.265C>T
NM_001130982.1:c.268C>T
NM_001130983.1:c.268C>T
NM_001130984.1:c.268C>T
NM_001130985.1:c.268C>T
NM_001130986.1:c.268C>T
NM_001130987.1:c.268C>T
NM_003494.3:c.265C>T
NM_001130455.2:c.268C>T
NM_001130976.2:c.265C>T

NM_001130977.2:c.265C>T
NM_001130978.2:c.265C>T
NM_001130979.2:c.265C>T
NM_001130980.2:c.265C>T
NM_001130981.2:c.265C>T
NM_001130982.2:c.268C>T
NM_001130983.2:c.268C>T
NM_001130984.2:c.268C>T
NM_001130985.2:c.268C>T
NM_001130986.2:c.268C>T
NM_003494.4:c.265C>T

Pathogenic

Met criteria codes 4

PP4_Strong

PM3

PM2_Supporting

PVS1

Evidence Links 0

Expert Panel

Limb Girdle Muscular Dystrophy VCEP

Criteria Specification Information

[Criteria Specification:](#) ClinGen Limb Girdle Muscular Dystrophy Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for DYSF Version 1.0.0

[Criteria Specification Approval History](#)

[Criteria Specifications for this VCEP](#)

Evidence submitted by expert panel

Limb Girdle Muscular Dystrophy VCEP

The NM_003494.4: c.265C>T p.(Arg89Ter) variant in DYSF, which is also known as NM_001130987.2: c.268C>T (p.Arg90Ter), is a nonsense variant predicted to cause a premature stop codon in biologically relevant exon 4/55, leading to nonsense mediated decay in a gene in which loss of function is an established disease mechanism (PVS1). This variant has been identified in at least five unrelated individuals with features consistent with LGMD (PMID: 23641709; 18853459; 21173544; 19493611), including in a homozygous state in two patients, one with known familial consanguinity (0.75 pts, PMID: 18853459; 19493611). It has also been observed in unknown phase with a pathogenic variant (NM_003494.4: c.3126G>A p.(Trp1042Ter), 0.5 pts, PMID: 18853459) (PM3). At least one patient with this variant and a second presumed diagnostic DYSF variant had a clinical diagnosis of LGMD (Miyoshi myopathy) and severely reduced or absent dysferlin protein expression, which is highly specific for DYSF-associated LGMD (PMID: 18853459; 19493611; PP4_Strong). The highest population minor allele frequency is 0.00005974 in gnomAD v4.1.0 exomes (2/33480 African/African American chromosomes), which is less than the LGMD VCEP threshold (≤ 0.0001) for PM2_Supporting, meeting this criterion (PM2_Supporting). In summary, this variant meets the criteria to be classified as Pathogenic for autosomal recessive limb girdle muscular dystrophy based on the ACMG/AMP criteria applied, as specified by the ClinGen LGMD VCEP (LGMD VCEP specifications version 1.0.0; 04/16/2025): PVS1, PM3, PP4_Strong, PM2_Supporting.

Met criteria codes

PP4_Strong



At least one patient with this variant and a second presumed diagnostic DYSF variant had a clinical diagnosis of LGMD (Miyoshi myopathy) and severely reduced or absent dysferlin protein expression, which is highly specific for DYSF-associated LGMD (PMID: 18853459, 19493611; PP4_Strong).

PM3



This variant has been identified in at least five unrelated individuals with features consistent with LGMD (PMID: 23641709, 18853459, 21173544, 19493611), including in a homozygous state in two patients, one with known

familial consanguinity (0.75 pts, PMID: 18853459, 19493611). It has also been observed in unknown phase with a pathogenic variant (NM_003494.4: c.3126G>A p.(Trp1042Ter), 0.5 pts, PMID: 18853459) (PM3). The classification of c.3126G>A p.(Trp1042Ter) as Pathogenic has been approved and did not make use of this case.

PM2_Supporting			The highest population minor allele frequency is 0.00005974 in gnomAD v4.1.0 exomes (2/33480 African/African American chromosomes), which is less than the LGMD VCEP threshold (≤ 0.0001) for PM2_Supporting, meeting this criterion (PM2_Supporting). Note: PM2_Supporting is still met if the FAF is calculated for the European (non-Finnish) exome data (4/1111974 exome alleles = FAF of 0.000008)
PVS1			The NM_003494.4: c.265C>T p.(Arg89Ter) variant in DYSF, which is also known as NM_001130987.2: c.268C>T (p.Arg90Ter), is a nonsense variant predicted to cause a premature stop codon in biologically relevant exon 4/55, leading to nonsense mediated decay in a gene in which loss of function is an established disease mechanism (PVS1).

Curation History



 

 

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.