

Variant: *NM_001114753.3(ENG):c.447G>C (p.Trp149Cys)*

Version: 1.0

CA10582615 [↗](#)

237027 (ClinVar) [↗](#)

Gene: ENG ([HGNC:2022](#))

Condition: telangiectasia, hereditary hemorrhagic, type 1
([MONDO:0008535](#))

Inheritance Mode: Autosomal dominant inheritance

UUID: 81eb6b2e-96ac-4bf0-bfce-6ca2da09ea81

Approved on: 2024/3/15

Published on: 2024/3/15

HGVS expressions

NM_001114753.3(ENG):c.447G>C (p.Trp149Cys)

NM_001114753.3:c.447G>C

NC_000009.12:g.127826586C>G

CM000671.2:g.127826586C>G

NC_000009.11:g.130588865C>G

CM000671.1:g.130588865C>G

NC_000009.10:g.129628686C>G

NG_009551.1:g.33183G>C

ENST00000480266.6:c.-100G>C

ENST00000373203.9:c.447G>C

ENST00000344849.4:c.447G>C

ENST00000373203.8:c.447G>C

ENST00000462196.1:n.347G>C

ENST00000480266.5:c.-100G>C

NM_000118.3:c.447G>C

NM_001114753.2:c.447G>C

NM_001278138.1:c.-100G>C

NM_001278138.2:c.-100G>C

Pathogenic

Met criteria codes **6**

PS4

PP4_Moderate

PS3_Supporting

PP1

PP3

PM2_Supporting

Evidence Links **0**

Expert Panel

[Hereditary Hemorrhagic Telangiectasia VCEP](#) [↗](#)

Criteria Specification Information

[↗](#) **Criteria Specification:** ClinGen Hereditary Hemorrhagic Telangiectasia Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for ENG Version 1.0.0

[↗](#) **Criteria Specification Approval History**

[↗](#) **Criteria Specifications for this VCEP**

Evidence submitted by expert panel

Hereditary Hemorrhagic Telangiectasia VCEP

The NM_001114753.3: c.447G>C variant in ENG is a missense variant predicted to cause substitution of tryptophan by cysteine at amino acid 149 (p.Trp149Cys). This variant is absent from gnomAD v2.1.1 (PM2_Supporting). This variant has been reported in >4 probands with a phenotype consistent with HHT (PS4; PMID: 9554745, 22022569, 22991266, 32300199, Internal lab contributors). At least one patient's phenotype meets Curacao Criteria for HHT, and sequencing and large deletion/duplication analysis was performed for ENG and ACVRL1, which is highly specific for HHT (PP4_Moderate; Internal lab contributors). The variant has been reported to segregate with HHT in 3 affected individuals of a family (4 generations) (PP1; PMID: 10545596). The computational predictor REVEL gives a score of 0.762, which is above the threshold of ≥ 0.644 , evidence that correlates with impact to ENG function (PP3). Additionally, expression studies in endoglin-deficient mice, human umbilical vein endothelial cells (HUVECs) and peripheral blood activated monocytes showed reduced expression of fully processed normal endoglin indicating that this variant impacts protein function (PS3_Supporting; PMID: 10545596, 11343967, 10749981). In summary, this variant meets the criteria to be classified as pathogenic for autosomal dominant hereditary hemorrhagic telangiectasia based on the ACMG/AMP criteria applied, as specified by the ClinGen Hereditary Hemorrhagic Telangiectasia Variant Curation Expert Panel: PM2_Supporting, PP3, PP4_Moderate, PS4, PS3_Supporting, PP1 (specification version 1.0.0; 1/4/2024).

Met criteria codes

PS4			This variant has been reported in >4 probands with a phenotype consistent with HHT (PS4; PMID: 9554745, 22022569, 22991266, 32300199, Internal lab contributors).
PP4_Moderate			At least one patient's phenotype meets Curacao Criteria for HHT, and sequencing and large deletion/duplication analysis was performed for ENG and ACVRL1, which is highly specific for HHT (PP4_Moderate; Internal lab contributors).
PS3_Supporting			Expression studies in endoglin-deficient mice, human umbilical vein endothelial cells (HUVECs) and peripheral blood activated monocytes showed reduced expression of fully processed normal endoglin indicating that this variant impacts protein function (PS3_Supporting; PMID: 10545596, 11343967, 10749981).
PP1			The variant has been reported to segregate with HHT in 3 affected individuals of a family (4 generations) (PP1; PMID: 10545596).
PP3			The computational predictor REVEL gives a score of 0.762, which is above the threshold of ≥ 0.644 , evidence that correlates with impact to ENG function (PP3).
PM2_Supporting			This variant is absent from gnomAD v2.1.1 (PM2_Supporting).

Curation History 

▾

▾

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.