

Variant: *NM_014336.5(AIPL1):c.715T>C (p.Cys239Arg)*

Version: 1.0

CA227892 [↗](#)

5567 (ClinVar) [↗](#)

Gene: AIPL1 ([HGNC:23746](#))

Condition: AIPL1-related retinopathy ([MONDO:0100438](#))

Inheritance Mode: Autosomal recessive inheritance

UUID: a14e8f72-a3a8-4337-bcd0-87d192da8977

Approved on: 2025/9/29

Published on: 2025/9/29

HGVS expressions

NM_014336.5(AIPL1):c.715T>C (p.Cys239Arg)

NM_014336.5:c.715T>C

NC_000017.11:g.6426684A>G

CM000679.2:g.6426684A>G

NC_000017.10:g.6330004A>G

CM000679.1:g.6330004A>G

NC_000017.9:g.6270728A>G

NG_008474.1:g.13516T>C

ENST00000381129.8:c.715T>C

ENST00000250087.9:c.526T>C

ENST00000381128.2:c.*587T>C

ENST00000381129.7:c.715T>C

ENST00000570466.5:c.649T>C

ENST00000570584.5:c.251+7235T>C

ENST00000571740.5:c.691T>C

ENST00000574506.5:c.679T>C

ENST00000575265.5:c.715T>C

ENST00000576307.5:c.535T>C

ENST00000576776.5:c.643T>C

ENST00000621374.4:c.715T>C

NM_001033054.2:c.526T>C

NM_001033055.2:c.535T>C

NM_001285399.2:c.679T>C

NM_001285400.2:c.649T>C

NM_001285401.2:c.643T>C

NM_001285402.1:c.598T>C

NM_001285403.2:c.691T>C

NM_014336.4:c.715T>C

NM_001033054.3:c.526T>C

NM_001033055.3:c.535T>C

NM_001285399.3:c.679T>C

NM_001285400.3:c.649T>C

NM_001285401.3:c.643T>C

NM_001285402.2:c.598T>C

NM_001285403.3:c.691T>C

NM_001285403.4:c.691T>C

Likely Pathogenic

Met criteria codes 6

- PP4_Moderate
- PM3_Supporting
- PM2_Supporting
- PS3_Supporting
- PP1_Moderate
- PP3_Moderate

Evidence Links 1

Expert Panel

Leber Congenital Amaurosis/early onset Retinal Dystrophy VCEP

Criteria Specification Information

- [Criteria Specification:](#) ClinGen Leber Congenital Amaurosis/early onset Retinal Dystrophy Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for AIPL1 Version 1.0.0
- [Criteria Specification Approval History](#)
- [Criteria Specifications for this VCEP](#)

Evidence submitted by expert panel

Leber Congenital Amaurosis/early onset Retinal Dystrophy VCEP

NM_014336.5(AIPL1):c.715T>C (p.Cys239Arg) is predicted to replace the cysteine at position p.239 with arginine. This variant is absent from gnomAD v4.1.0 (PM2_Supporting). This variant has been reported in at least 1 proband with early-onset severe retinal dystrophy who was homozygous for the variant (PMID: 15249368) (0.5 total points, PM3_Supporting). The variant has been reported to segregate with childhood-onset severe retinal dystrophy through the proband plus 2 similarly affected relatives, with the variant present in the homozygous state (PP1_Moderate; PMID: 15249368 and personal communication). At least one proband harboring this variant exhibits a phenotype including a diagnosis of LCA (0.5 pts) with poor central vision (1 pt) from birth (1 pt), along with severe night blindness (0.5 pts) and pendular nystagmus (1 pt). Full-field electroretinogram responses were non-detectable from both rods (0.5 pts) and cones (1 pt). Visual acuity 20/800 in both eyes at age 17. Fundus examination revealed widespread RPE changes with pigment clumping (0.5 pt), attenuated retinal vessels (1 pt), macular atrophy (0.5 pts) and a pale optic disk (0.5 pts) which together are specific for AIPL1-related retinopathy (total 8 points, PMID: 10873396, PP4_Moderate). The variant protein exhibits less than 10% of wild-type AIPL1 activity in a cGMP hydrolysis assay based on exogenous expression in HEK293T cells (PMID: 27268253, PS3_Supporting). the computational predictor REVEL gives a score of 0.789, which is above the ClinGen LCA/eoRD VCEP threshold of ≥0.774 and predicts a damaging effect on AIPL1 protein function (PP3_Moderate). In summary, this variant meets the criteria to be classified as Likely Pathogenic for AIPL1-related retinopathy based on the ACMG/AMP criteria applied, as specified by the ClinGen LCA/eoRD VCEP: PM2_Supporting, PP3_Moderate, PS3_Supporting, PM3_Supporting, PP1_Moderate, and PP4_Moderate. (VCEP specifications version 1.0.0; date of approval 09/24/2025).

Met criteria codes

PP4_Moderate			At least one proband harboring this variant exhibits a phenotype including a diagnosis of LCA (0.5 pts) with poor central vision (1 pt) from birth (1 pt), along with severe night blindness (0.5 pts) and pendular nystagmus (1 pt). Full-field ERGs were non-detectable (rod and cone) (1.5 pts). Visual acuity 20/800 in both eyes at age 17. Fundus examination revealed widespread RPE changes with pigment clumping (0.5 pt), attenuated retinal vessels (1 pt), macular atrophy (0.5 pts) and a pale optic disk (0.5 pts) which together are specific for AIPL1-related retinopathy (total 8 points, PMID: 10873396, PP4).
PM3_Supporting			This variant has been reported in at least 1 proband with early-onset severe retinal dystrophy who was homozygous for the variant (PMID: 15249368) (0.5 total points, PM3_Supporting).
PM2_Supporting			This variant is absent from gnomAD v4.1.0 (PM2_Supporting).
PS3_Supporting			The variant protein exhibits less than 10% of wild-type AIPL1 activity in a cGMP hydrolysis assay based on exogenous expression in HEK293T cells (PMID: 27268253, PS3_Supporting).

The variant protein exhibits less than 10% of wild-type AIPL1 activity in a cGMP hydrolysis assay based on exogenous expression in HEK293T cells (PMID: 27268253, Figures 5B, 5C).

[PubMed:27268253](#)

- PP1_Moderate

The variant has been reported to segregate with childhood-onset severe retinal dystrophy through the proband plus 2 similarly affected relatives, with the variant present in the homozygous state (PP1_Moderate; PMID: 15249368)
- PP3_Moderate

The computational predictor REVEL gives a score of 0.789, which is above the ClinGen LCA/eoRD VCEP threshold of ≥ 0.774 and predicts a damaging effect on AIPL1 protein function (PP3_Moderate).

Curation History

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.