

Variant: NM_001130987.2(DYSF):c.3571dup (p.Ser1191fs)

Version: 1.0

CA1706625 [↗](#)

370730 (ClinVar) [↗](#)

Gene: DYSF ([HGNC:8291](#))
Condition: autosomal recessive limb-girdle muscular dystrophy ([MONDO:0015152](#))
Inheritance Mode: Autosomal recessive inheritance
UUID: a79f18ca-d9c8-4b52-8b8a-60cafde5a05f
Approved on: 2025/5/14
Published on: 2025/6/6

HGVS expressions

NM_001130987.2:c.3571dup
NM_001130987.2(DYSF):c.3571dup (p.Ser1191fs)
NC_000002.12:g.71590285dup
CM000664.2:g.71590285dup
NC_000002.11:g.71817415dup
CM000664.1:g.71817415dup
NC_000002.10:g.71670923dup
NG_008694.1:g.141663dup
ENST00000698057.1:c.943dup
ENST00000698058.1:c.160dup
ENST00000698059.1:c.160dup
ENST00000258104.8:c.3517dup
ENST00000410020.8:c.3571dup
ENST00000258104.7:c.3517dup
ENST00000394120.6:c.3520dup
ENST00000409366.5:c.3520dup
ENST00000409582.7:c.3568dup
ENST00000409651.5:c.3613dup
ENST00000409744.5:c.3478dup
ENST00000409762.5:c.3568dup
ENST00000410020.7:c.3571dup
ENST00000410041.1:c.3571dup
ENST00000413539.6:c.3610dup
ENST00000429174.6:c.3517dup
ENST00000475076.5:n.345dup
ENST00000479049.6:n.402dup
ENST00000493767.1:n.238dup
NM_001130455.1:c.3520dup
NM_001130976.1:c.3475dup
NM_001130977.1:c.3475dup
NM_001130978.1:c.3517dup
NM_001130979.1:c.3610dup
NM_001130980.1:c.3568dup
NM_001130981.1:c.3568dup
NM_001130982.1:c.3613dup
NM_001130983.1:c.3520dup
NM_001130984.1:c.3478dup

NM_001130985.1:c.3571dup
NM_001130986.1:c.3478dup
NM_001130987.1:c.3571dup
NM_003494.3:c.3517dup
NM_001130455.2:c.3520dup
NM_001130976.2:c.3475dup
NM_001130977.2:c.3475dup
NM_001130978.2:c.3517dup
NM_001130979.2:c.3610dup
NM_001130980.2:c.3568dup
NM_001130981.2:c.3568dup
NM_001130982.2:c.3613dup
NM_001130983.2:c.3520dup
NM_001130984.2:c.3478dup
NM_001130985.2:c.3571dup
NM_001130986.2:c.3478dup
NM_003494.4:c.3517dup

Pathogenic

Met criteria codes 4

PVS1

PM2_Supporting

PM3_Strong

PP4_Strong

Evidence Links 0

Expert Panel

Limb Girdle Muscular Dystrophy VCEP

Criteria Specification Information

Criteria Specification: ClinGen Limb Girdle Muscular Dystrophy Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for DYSF Version 1.0.0

Criteria Specification Approval History

Criteria Specifications for this VCEP

Evidence submitted by expert panel

Limb Girdle Muscular Dystrophy VCEP

The NM_003494.4: c.3517dup p.(Ser1173PhefsTer2) variant in DYSF, which is also known as NM_001130987.2: c.3571dup p.(Ser1191PhefsTer2), is a frameshift variant predicted to cause a premature stop codon in biologically relevant exon 32/55, leading to nonsense mediated decay in a gene in which loss of function is an established disease mechanism (PVS1). This variant has been reported in at least six patients with dysferlinopathy (PMID: 19528035, 18853459, 27447704, 36983702), including in a homozygous state in two individuals without reported familial consanguinity (1.0 pts, PMID: 19528035, 27447704), confirmed in trans with a likely pathogenic or pathogenic variant (NM_003494.4: c.3113G>A p.(Arg1038Gln), 1.0 pt, PMID: 36983702), and in unknown phase with a pathogenic variant (NM_003494.4: c.5836_5839del p.(Gln1946TrpfsTer19), 0.5 pts, PMID: 36983702) (PM3_Strong). At least one of the patients with this variant and a second presumed diagnostic DYSF variant displayed progressive proximal muscle weakness and absent dysferlin protein expression in skeletal muscle, which is highly specific for DYSF-related LGMD (PP4_Strong; PMID: 18853459, 36983702). The filtering allele frequency of this variant is 0.000053899 in gnomAD v4.1.0 exomes (the upper threshold of the 95% CI of 47/1111990 European (non-Finnish) chromosomes), which is less than the ClinGen LGMD VCEP threshold (≤ 0.0001) (PM2_Supporting). In summary, this variant meets the criteria to be classified as Pathogenic for autosomal recessive limb girdle muscular dystrophy based on the ACMG/AMP criteria applied, as specified by the ClinGen LGMD VCEP (LGMD VCEP specifications version 1.0.0; 05/14/2025): PVS1, PM3_Strong, PP4_Strong, PM2_Supporting.

Met criteria codes			
PVS1			The NM_003494.4: c.3517dup p.(Ser1173PhefsTer2) variant in DYSF, which is also known as NM_001130987.2: c.3571dup (p.Ser1191PhefsTer2), is a frameshift variant predicted to cause a premature stop codon in biologically relevant exon 32/55, leading to nonsense mediated decay in a gene in which loss of function is an established disease mechanism (PVS1).
PM2_Supporting			The filtering allele frequency of this variant is 0.000053899 in gnomAD v4.1.0 exomes (the upper threshold of the 95% CI of 47/1111990 European (non-Finnish) chromosomes) , which is less than the ClinGen LGMD VCEP threshold (≤ 0.0001) (PM2_Supporting).
PM3_Strong			This variant has been reported in at least six patients with dysferlinopathy (PMID: 19528035, 18853459, 27447704, 36983702), including in a homozygous state in two individuals without reported familial consanguinity (1.0 pts, PMID: 19528035, 27447704), confirmed in trans with a likely pathogenic or pathogenic variant (NM_003494.4: c.3113G>A p.(Arg1038Gln), 1.0 pt, PMID: 36983702), and in unknown phase with a pathogenic variant (NM_003494.4: c.5836_5839del p.(Gln1946TrpfsTer19), 0.5 pts, PMID: 36983702) (PM3_Strong). Not possible to check co-occurrence
PP4_Strong			At least one of the patients with this variant and a second presumed diagnostic DYSF variant displayed progressive proximal muscle weakness and absent dysferlin protein expression in skeletal muscle, which is highly specific for DYSF-related LGMD (PP4_Strong; PMID: 18853459, 36983702).

Curation History 
Showing 1 to 1 of 1 rows

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.