

Variant: *NM_001100.4(ACTA1):c.124C>T (p.His42Tyr)*

Version: 1.0

CA345151235 [↗](#)

1452968 (ClinVar) [↗](#)

Gene: ACTA1 ([HGNC:58](#))

Condition: alpha-actinopathy ([MONDO:0100084](#))

Inheritance Mode: Autosomal dominant inheritance

UUID: ac6e8233-e5c6-4ff0-b854-961d3d2c5944

Approved on: 2024/8/27

Published on: 2024/12/12

HGVS expressions

NM_001100.4:c.124C>T

NM_001100.4(ACTA1):c.124C>T (p.His42Tyr)

NC_000001.11:g.229432992G>A

CM000663.2:g.229432992G>A

NC_000001.10:g.229568739G>A

CM000663.1:g.229568739G>A

NC_000001.9:g.227635362G>A

NG_006672.1:g.6105C>T

ENST00000366683.4:c.124C>T

ENST00000684723.1:c.-6-112C>T

ENST00000366683.3:c.124C>T

ENST00000366684.7:c.124C>T

NM_001100.3:c.124C>T

Pathogenic

Met criteria codes 7

PM2_Supporting

PP4_Moderate

PS4_Moderate

PS2

PS3

PP2

PP3

Not Met criteria codes 4

BS1

BS3

BP4

BA1

Evidence Links 0

Expert Panel

Congenital Myopathies VCEP [↗](#)

Criteria Specification Information

[↗](#) **Criteria Specification:** ClinGen Congenital Myopathies

Expert Panel Specifications to the ACMG/AMP Variant

Interpretation Guidelines for ACTA1 Version 2.0.0

[↗](#) **Criteria Specification Approval History**

[↗](#) **Criteria Specifications for this VCEP**

Evidence submitted by expert panel

Congenital Myopathies VCEP

The NM_001100.4:c.124C>T variant in ACTA1 is a missense variant predicted to cause substitution of histidine by tyrosine at amino acid 42 (legacy nomenclature: p.His40Tyr). This variant is absent from gnomAD v4.1 (PM2_Supporting). The computational predictor REVEL gives a score of 0.72, which is above the threshold of 0.7, evidence that correlates with impact to ACTA1 function (PP3). ACTA1, in which the variant was identified, is defined by the ClinGen Congenital Myopathies VCEP as a gene that has a low rate of benign missense variation and where pathogenic missense variants are a common mechanism of disease (PP2). In vitro studies demonstrated changes in actin

localization and motility (PMID:15226407, 17227580, 27112274). In vivo studies in a mouse model demonstrated impaired function of ACTA1 and limited intrinsic force-generating capacity and maximal tetanic force (PMID:23613869, 23656990)(PS3). This variant has been reported in 4 probands/families with intranuclear rod and/or nemaline myopathies (PS4_Moderate; PMID:10508519, 12921789, 19562689). This variant has occurred de novo with confirmed parental relationships in 1 individual and was reported to occur de novo with unconfirmed parental relationships in 1 individual with severe atypical nemaline myopathy with intranuclear nemaline bodies (PS2, PP4_Moderate; PMID:10508519, 19562689). In summary, this variant meets the criteria to be classified as pathogenic for autosomal dominant alpha-actinopathy based on the ACMG/AMP criteria applied, as specified by the ClinGen Congenital Myopathies VCEP: PS2, PS3, PS4_Moderate, PP4_Moderate, PM2_Supporting, PP2, PP3 (Congenital Myopathies VCEP specifications version 2; 08/27/2024).

Met criteria codes

PM2_Supporting			This variant is absent from gnomAD v4.1 (PM2_Supporting).
PP4_Moderate			This variant has occurred de novo with confirmed parental relationships in 1 individual and was reported to occur de novo with unconfirmed parental relationships in 1 individual with severe atypical nemaline myopathy with intranuclear nemaline bodies (PS2, PP4_Moderate; PMID:10508519, 19562689).
PS4_Moderate			This variant has been reported in 4 probands/families with intranuclear rod and/or nemaline myopathies (PS4_Moderate; PMID:10508519, 12921789, 19562689).
PS2			This variant has occurred de novo with confirmed parental relationships in 1 individual and was reported to occur de novo with unconfirmed parental relationships in 1 individual with severe atypical nemaline myopathy with intranuclear nemaline bodies (PS2; PMID:10508519, 19562689).
PS3			In vitro studies demonstrated changes in actin localization and motility (PMID:15226407, 17227580, 27112274). In vivo studies in a mouse model demonstrated impaired function of ACTA1 and limited intrinsic force-generating capacity and maximal tetanic force (PMID:23613869, 23656990)(PS3).
PP2			ACTA1, in which the variant was identified, is defined by the ClinGen Congenital Myopathies VCEP as a gene that has a low rate of benign missense variation and where pathogenic missense variants are a common mechanism of disease (PP2).
PP3			The computational predictor REVEL gives a score of 0.72, which is above the threshold of 0.7, evidence that correlates with impact to ACTA1 function (PP3).

Not Met criteria codes

BS1			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BS3			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BP4			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline

BA1



No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline

Curation History

▼

▼

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.