

Variant: NM_000162.5(GCK):c.455T>C (p.Phe152Ser)

Version: 1.0

CA367401925 [↗](#)

1741488 (ClinVar) [↗](#)

Gene: GCK ([HGNC:2645](#))

Condition: monogenic diabetes ([MONDO:0015967](#))

Inheritance Mode: Semidominant inheritance

UUID: b8a8c2fb-7517-4e9e-a2e5-a4a95d0a14cb

Approved on: 2024/4/18

Published on: 2024/4/18

HGVS expressions

NM_000162.5:c.455T>C

NM_000162.5(GCK):c.455T>C (p.Phe152Ser)

NC_000007.14:g.44150984A>G

CM000669.2:g.44150984A>G

NC_000007.13:g.44190583A>G

CM000669.1:g.44190583A>G

NC_000007.12:g.44157108A>G

NG_008847.1:g.43440T>C

NG_008847.2:g.52187T>C

ENST00000395796.8:c.*453T>C

ENST00000616242.5:c.455T>C

ENST00000682635.1:n.941T>C

ENST00000345378.7:c.458T>C

ENST00000403799.8:c.455T>C

ENST00000671824.1:c.455T>C

ENST00000673284.1:c.455T>C

ENST00000345378.6:c.458T>C

ENST00000395796.7:c.452T>C

ENST00000403799.7:c.455T>C

ENST00000437084.1:c.404T>C

ENST00000616242.4:c.452T>C

NM_000162.3:c.455T>C

NM_033507.1:c.458T>C

NM_033508.1:c.452T>C

NM_000162.4:c.455T>C

NM_001354800.1:c.455T>C

NM_033507.2:c.458T>C

NM_033508.2:c.452T>C

NM_033507.3:c.458T>C

NM_033508.3:c.452T>C

Pathogenic

Met criteria codes 6

PP4_Moderate

PP1_Strong

PP2

PP3

PM2_Supporting

PM5

Evidence Links 0

Expert Panel

Monogenic Diabetes VCEP

Criteria Specification Information

[Criteria Specification:](#) ClinGen Monogenic Diabetes Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for GCK Version 1.3.0

[Criteria Specification Approval History](#)

[Criteria Specifications for this VCEP](#)

Evidence submitted by expert panel

Monogenic Diabetes VCEP

The c.455T>C variant in the glucokinase gene, GCK, causes an amino acid change of phenylalanine to serine at codon 152 (p.(Phe152Ser)) of NM_000162.5. GCK is defined by the ClinGen MDEP as a gene that has a low rate of benign missense variation and has pathogenic missense variants as a common mechanism of disease (PP2). This variant is predicted to be deleterious by computational evidence, with a REVEL score of 0.981, which is greater than the MDEP VCEP threshold of 0.70 (PP3). This variant is absent from gnomAD v2.1.1 (PM2_Supporting). This variant was identified in an individual with a clinical history highly specific for GCK-hyperglycemia (FBG 5.5-8 mmol/L and HbA1c 5.6 - 7.6% and negative antibody) (PP4_Moderate; PMID: 21978167). This variant segregated with diabetes/hyperglycemia, with four informative meioses in two families (PP1_Strong; PMID: 21978167, internal lab contributors]). Another missense variant, c.454T>C p.(Phe152Leu) has been interpreted as pathogenic by the ClinGen MDEP, and p.(Phe152Ser) has an equal or greater Grantham distance (PM5). In summary, c.455T>C meets the criteria to be classified as a variant of pathogenic for monogenic diabetes. ACMG/AMP criteria applied, as specified by the ClinGen MDEP (specification version 1.3.0, approved 8/11/2023): PM2_Supporting, PP3, PP2, PM5, PP4_Moderate, PP1_Strong.

Met criteria codes

PP4_Moderate



This variant was identified in an individual with a clinical history highly specific for GCK-hyperglycemia (FBG 5.5-8 mmol/L and HbA1c 5.6 - 7.6% and negative antibody) (PP4_Moderate; PMID: 21978167).

PP1_Strong



This variant segregated with diabetes/hyperglycemia, with four informative meioses in two families with MODY (PP1_Strong; PMID: 21978167, internal lab contributors]).

PP2



GCK is defined by the ClinGen MDEP as a gene that has a low rate of benign missense variation and has pathogenic missense variants as a common mechanism of disease (PP2).

PP3



This variant is predicted to be deleterious by computational evidence, with a REVEL score of 0.981, which is greater than the MDEP VCEP threshold of 0.70 (PP3).

PM2_Supporting



This variant is absent from gnomAD v2.1.1 (PM2_Supporting).

PM5



Another missense variant, c.454T>C p.(Phe152Leu) has been interpreted as pathogenic by the ClinGen MDEP, and p.(Phe152Ser) has an equal or greater Grantham distance (PM5).

Curation History 

Showing 1 to 1 of 1 rows

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.