

Variant: NM_177438.3(DICER1):c.1509G>C (p.Glu503Asp)

Version: 2.0

CA390885360 [↗](#)

1487846 (ClinVar) [↗](#)

Gene: DICER1 ([HGNC:23405](#))
Condition: DICER1-related tumor predisposition ([MONDO:0100216](#))
Inheritance Mode: Autosomal dominant inheritance
UUID: c256aaa7-0312-4848-81dd-ad5c0af94b04
Approved on: 2025/2/25
Published on: 2025/6/4

HGVS expressions

NM_177438.3:c.1509G>C
NM_177438.3(DICER1):c.1509G>C (p.Glu503Asp)
NC_000014.9:g.95117622C>G
CM000676.2:g.95117622C>G
NC_000014.8:g.95583959C>G
CM000676.1:g.95583959C>G
NC_000014.7:g.94653712C>G
NG_016311.1:g.44801G>C
ENST00000529720.2:c.1509G>C
ENST00000531162.7:c.1509G>C
ENST00000674628.2:c.1509G>C
ENST00000675540.2:c.1509G>C
ENST00000696733.1:c.1509G>C
ENST00000696734.1:c.1509G>C
ENST00000696736.1:c.1509G>C
ENST00000696737.1:c.1509G>C
ENST00000696920.1:n.1772G>C
ENST00000696921.1:n.2615G>C
ENST00000696922.1:n.1918G>C
ENST00000696923.1:c.1509G>C
ENST00000696924.1:c.1509G>C
ENST00000696925.1:n.1918G>C
ENST00000696927.1:n.1112G>C
ENST00000696928.1:n.1706G>C
ENST00000343455.8:c.1509G>C
ENST00000393063.6:c.1509G>C
ENST00000526495.6:c.1509G>C
ENST00000532939.3:c.1509G>C
ENST00000556045.6:c.1509G>C
ENST00000674628.1:c.1509G>C
ENST00000675995.1:c.1509G>C
ENST00000343455.7:c.1509G>C
ENST00000393063.5:c.1509G>C
ENST00000526495.5:c.1509G>C
ENST00000527414.5:c.1509G>C
ENST00000532458.1:n.213G>C
ENST00000541352.5:c.1509G>C

NM_001195573.1:c.1509G>C
NM_001271282.2:c.1509G>C
NM_001291628.1:c.1509G>C
NM_030621.4:c.1509G>C
NM_177438.2:c.1509G>C
NM_001271282.3:c.1509G>C
NM_001291628.2:c.1509G>C
NM_001395677.1:c.1509G>C
NM_001395678.1:c.1509G>C
NM_001395679.1:c.1509G>C
NM_001395680.1:c.1509G>C
NM_001395682.1:c.1509G>C
NM_001395683.1:c.1509G>C
NM_001395684.1:c.1509G>C
NM_001395685.1:c.1509G>C
NM_001395686.1:c.1227G>C
NM_001395687.1:c.1104G>C
NM_001395688.1:c.1104G>C
NM_001395689.1:c.1104G>C
NM_001395690.1:c.1104G>C
NM_001395691.1:c.942G>C
NM_001395692.1:c.1509G>C
NM_001395693.1:c.1509G>C
NM_001395694.1:c.1509G>C
NM_001395695.1:c.1509G>C
NM_001395696.1:c.1104G>C
NM_001395697.1:c.-60G>C
NM_001395698.1:c.1104G>C
NR_172715.1:n.1927G>C
NR_172716.1:n.1854G>C
NR_172717.1:n.2021G>C
NR_172718.1:n.2021G>C
NR_172719.1:n.1854G>C
NR_172720.1:n.1854G>C

Likely Pathogenic

Met criteria codes 5

- PS4_Supporting
- PM2_Supporting
- PS3
- PP1
- PP3

Not Met criteria codes 16

- PVS1
- BS2
- BS1
- BS4
- BS3
- BP4
- BP2
- BP7
- PS1
- PS2
- BA1
- PP4
- PM6
- PM1
- PM5
- PM4

Evidence Links 0

Expert Panel

DICER1 and miRNA-Processing Gene VCEP

Criteria Specification Information

- [Criteria Specification:](#) ClinGen DICER1 and miRNA-Processing Gene Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for DICER1 Version 1.3.0
- [Criteria Specification Approval History](#)
- [Criteria Specifications for this VCEP](#)

Evidence submitted by expert panel

DICER1 and miRNA-Processing Gene VCEP

NM_177438.2(DICER1):c.1509G>C variant in DICER1 is a missense variant predicted to cause substitution of glutamate by aspartate at amino acid 503 (p.Glu503Asp). This variant received a total of 1 phenotype point across 1 unrelated proband/family meeting DICER1 VCEP phenotype specificity scoring criteria of 1-1.5 points (PS4_Supporting; Internal lab data: Invitae). The variant has been reported to segregate with DICER1 phenotypes in 2 family members separated by 4 meioses from 1 family (PP1_Supporting; Internal lab contributors). This variant is absent from gnomAD v4.1.0 (PM2_Supporting). Sequencing of RNA from patients showed an out-of-frame impact on splicing, indicating that this variant impacts protein function (PS3; Internal lab contributor: Invitae). The splice site predictors MaxEntScan and SpliceAI indicate that the variant impacts splicing, evidence that correlates with impact to DICER1 function (PP3). In summary, this variant meets the criteria to be classified as Likely Pathogenic for DICER1 syndrome based on the ACMG/AMP criteria applied, as specified by the ClinGen DICER1 VCEP: PS4_Supporting, PP1, PM2_Supporting, PS3, PP3 (Bayesian Points: 8; VCEP specifications version 1.3.0; 02/25/2025).

Met criteria codes

PS4_Supporting			This variant received a total of 1 phenotype point across 1 unrelated proband/family meeting DICER1 VCEP phenotype specificity scoring criteria of 1-1.5 points
PM2_Supporting			Absent in gnomAD v4.1.0 with good coverage
PS3			Sequencing of RNA from patients showed an out-of-frame impact on splicing, indicating that this variant impacts protein function (PS3; Internal lab contributor: Invitae).
PP1			The variant has been reported to segregate with DICER1 phenotypes in 2 family members separated by 4 meioses from 1 family (PP1_Supporting; Internal lab contributors).
PP3			Last nt of exon has concordant splicing impact for SpliceAI and MaxEntScan

Not Met criteria codes

PVS1			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BS2			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BS1			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BS4			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BS3			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BP4			

No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline			
BP2			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BP7			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PS1			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PS2			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
BA1			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PP4			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PM6			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PM1			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PM5			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PM4			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline

Curation History 

▼

▼

Showing 1 to 2 of 2 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.