

Variant: *NM_000277.3(PAH):c.283A>T (p.Ile95Phe)*

Version: 1.0

CA229507 [↗](#)

102645 (ClinVar) [↗](#)

Gene: PAH ([HGNC:5053](#))

Condition: phenylketonuria ([MONDO:0009861](#))

Inheritance Mode: Autosomal recessive inheritance

UUID: c61fa227-893e-4be0-9e02-2d7c1494af20

Approved on: 2024/9/6

Published on: 2024/9/6

HGVS expressions

NM_000277.3(PAH):c.283A>T (p.Ile95Phe)

NM_000277.3:c.283A>T

NC_000012.12:g.102894804T>A

CM000674.2:g.102894804T>A

NC_000012.11:g.103288582T>A

CM000674.1:g.103288582T>A

NC_000012.10:g.101812712T>A

NG_008690.1:g.27799A>T

NG_008690.2:g.68607A>T

ENST00000553106.6:c.283A>T

ENST00000307000.7:c.268A>T

ENST00000546844.1:c.283A>T

ENST00000548677.2:n.370A>T

ENST00000548928.1:n.205A>T

ENST00000549111.5:n.379A>T

ENST00000550978.6:c.267A>T

ENST00000551337.5:c.283A>T

ENST00000551988.5:n.372A>T

ENST00000553106.5:c.283A>T

NM_000277.1:c.283A>T

NM_000277.2:c.283A>T

NM_001354304.1:c.283A>T

NM_001354304.2:c.283A>T

Likely Pathogenic

Met criteria codes **3**

PP3

PP4

PM3_Strong

Not Met criteria codes **3**

PM2

PM1

PM5

Evidence Links **0**

Expert Panel

Phenylketonuria VCEP [↗](#)

Criteria Specification Information

[↗](#) **Criteria Specification:** ClinGen Phenylketonuria Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for PAH Version 2.0.0

[↗](#) **Criteria Specification Approval History**

[↗](#) **Criteria Specifications for this VCEP**

Phenylketonuria VCEP

The c.283A>T (p.Ile95Phe) variant in PAH has been reported in multiple patients with mild and moderate phenylketonuria. It was detected with pathogenic variants: p.R408W (PMID: 10495930); p.R158Q, p.A403V, p.T323del (PMID: 18299955); and p.E280K (PMID: 31623983). This variant has a MAF of 0.00060 in gnomAD in the Ashkenazi Jewish population, which is above our cutoff for PM2 (<0.0002) and below our cutoff for BS1 (>0.002). Computational evidence support a deleterious effect (REVEL=0.658). In summary, this variant meets criteria to be classified as likely pathogenic for PAH. PAH-specific ACMG/AMP criteria applied: PM3_strong, PP3, PP4.

Met criteria codes

PP3			REVEL=0.658
PP4			Reported in multiple patients with mild and moderate PKU, BH4 deficiency not ruled out PMID: 10495930
PM3_Strong			I95F/R408W, Mendelian inheritance was confirmed. PMID: 10495930; R158Q (P), A403V(P), T323del (P), parental analysis not reported, PMID: 18299955; p.E280K (P by 11 submitters), parental analysis not reported PMID: 31623983; 3.0 pts

Not Met criteria codes

PM2			MAF is 0.0004908 (AJ) in gnomAD v4, which is too high for PM2 (<0.0002) and too low for BS1 (>0.002). Reported in an occasional patient INGD (Israeli National Genetic Database) and found in gnomAD uniquely among Ashkenazi Jews (100%) and in a significantly increased frequency (0.10, p<0.005, Carrier frequency of the %). PMID: 29144512
PM1			No code specific comments provided, please refer to the summary above or general recommendations provided in the guideline
PM5			I95T is US by PAH VCEP

Curation History



 

 

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.