

Variant: *NM_000033.4(ABCD1):c.2037G>A (p.Trp679Ter)*

Version: 1.0

CA415118457 [↗](#)

449353 (ClinVar) [↗](#)

Gene: ABCD1 ([HGNC:215](#))

Condition: adrenoleukodystrophy ([MONDO:0018544](#))

Inheritance Mode: X-linked inheritance

UUID: d281773d-d5d8-4724-a03c-3fcfdd3448a2

Approved on: 2026/4/16

Published on: 2026/4/16

HGVS expressions

NM_000033.4(ABCD1):c.2037G>A (p.Trp679Ter)

NM_000033.4:c.2037G>A

NC_000023.11:g.153743534G>A

CM000685.2:g.153743534G>A

NC_000023.10:g.153008988G>A

CM000685.1:g.153008988G>A

NC_000023.9:g.152662182G>A

NG_009022.2:g.23667G>A

ENST00000218104.6:c.2037G>A

ENST00000218104.5:c.2037G>A

NM_000033.3:c.2037G>A

Likely Pathogenic

Met criteria codes **4**

PVS1_Moderate

PS4_Moderate

PP4

PM2_Supporting

Evidence Links **0**

Expert Panel

[Peroxisomal Disorders VCEP](#) [↗](#)

Criteria Specification Information

[↗](#) **Criteria Specification:** *ClinGen Peroxisomal Disorders*

Expert Panel Specifications to the ACMG/AMP Variant

Interpretation Guidelines for ABCD1 Version 1.0.0

[↗](#) **Criteria Specification Approval History**

[↗](#) **Criteria Specifications for this VCEP**

Evidence submitted by expert panel

Peroxisomal Disorders VCEP

The c.2037G>A (p.Trp679Ter)(NM_000033.4) variant in ABCD1 is a nonsense variant predicted to cause a premature stop codon in biologically-relevant-exon 10 that may cause loss of function of the protein, however it is predicted to escape nonsense mediated decay and remove <10% of the protein (PVS1_Moderate; PMID:30192042). At least one patient with this variant was positive for biochemical (C26 two tier measurement) and adrenal involvement, which is highly specific for adrenoleukodystrophy (PP4, PMID: 33920672). This variant has been reported in 2 heterozygote females with neurological impairments as measured by JOA and SSPROM scores meeting PP4_Supporting phenotype criteria (PS4_moderate; PMID: 24410807). This variant is absent from gnomAD v4.1 (PM2_Supporting). In summary, this variant meets the criteria to be classified as Likely Pathogenic for X-linked adrenoleukodystrophy based on the ACMG/AMP

criteria applied, as specified by the ClinGen Peroxisomal VCEP: PP4, PS4_moderate, PVS1_moderate, PM2_supporting. (ClinGen Peroxisomal Disorders Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for ABCD1 Version 1.0.0)		
Met criteria codes		
PVS1_Moderate		p.Trp679Ter creates a stop codon downstream of the last exon-junction as it is after nucleotide c.1942, leading to a loss of the last 67 aa of the total protein length which is 746 aa. 67/746 represents about 9% loss of the total protein. The transcript with this variant is not predicted to undergo NMD. Since this variant removes less than 10% of protein, a moderate strength is applied according to the PVS1 guidelines from Abou Tayoun et al., 2018 (PMID:30192042). Based on this criterion, PM4 will not be applied. Based on the ALD database the last (likely)pathogenic variant is located at position c.2078.
PS4_Moderate		From PP4 description: 2 het females with age of symptoms 39/59 (Habekost CT et al., 2018, PMID: 24410807). In this study, 87% of het women were symptomatic, with neurological impairments as measured by JOA and SSPROM scores (B + E + F is considered for these het pts).
PP4		1 male case from a newborn screening (Matteson J et al 2021, PMID: 33920672) was positive for biochemical (C26 two tier measurement) and adrenal involvement and had long-term follow up resolution (see supplementary table), thus meeting supporting strength (A+E+F from specification table).
PM2_Supporting		p.Trp679Ter is absent in gnomAD v2.1 and v3.1.

Curation History

owing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.