

Variant: *NM_000070.3(CAPN3):c.1395GGA[2] (p.Glu467del)*

Version: 1.0

CA7511349 [↗](#)

553852 (ClinVar) [↗](#)

Gene: CAPN3 ([HGNC:825](#))

Condition: autosomal recessive limb-girdle muscular dystrophy
([MONDO:0015152](#))

Inheritance Mode: Autosomal recessive inheritance

UUID: d2fdc1d2-34c4-4901-b531-6ee716a02314

Approved on: 2025/6/24

Published on: 2025/7/8

HGVS expressions

NM_000070.3(CAPN3):c.1395GGA[2] (p.Glu467del)

NM_000070.3:c.1395GGA[2]

NM_000070.3:c.1401_1403del

NC_000015.10:g.42401687_42401689del

CM000677.2:g.42401687_42401689del

NC_000015.9:g.42693885_42693887del

CM000677.1:g.42693885_42693887del

NC_000015.8:g.40481177_40481179del

NG_008660.1:g.58585_58587del

ENST00000349748.8:c.1257_1259del

ENST00000357568.8:c.1401_1403del

ENST00000397163.8:c.1401_1403del

ENST00000466369.5:n.1910_1912del

ENST00000483208.5:n.1632_1634del

ENST00000495723.1:n.1632_1634del

ENST00000549793.5:n.1632_1634del

ENST00000638141.2:n.1272_1274del

ENST00000673705.1:c.309+2035_309+2037del

ENST00000318023.11:c.1257_1259del

ENST00000349748.7:c.1257_1259del

ENST00000357568.7:c.1401_1403del

ENST00000397163.7:c.1401_1403del

NM_000070.2:c.1401_1403del

NM_024344.1:c.1401_1403del

NM_173087.1:c.1257_1259del

NM_024344.2:c.1401_1403del

NM_173087.2:c.1257_1259del

Pathogenic

Met criteria codes **4**

PM3_Very Strong

PP4_Moderate

PM4

PM2_Supporting

Evidence Links **0**

Expert Panel

Limb Girdle Muscular Dystrophy VCEP [↗](#)

Criteria Specification Information

[↗](#) **Criteria Specification:** ClinGen Limb Girdle Muscular Dystrophy Expert Panel Specifications to the ACMG/AMP

Evidence submitted by expert panel

Limb Girdle Muscular Dystrophy VCEP

The NM_000070.3: c.1401_1403del variant in CAPN3 is expected to cause an in-frame deletion of one amino acid, p.(Glu467del) (PM4). This variant has been identified in at least 8 individuals with features consistent with LGMD (PMID: 16141003, 17994539, 16650086, 31555977, 18854869, 38391941, LOVD CAPN3_000200), including in a homozygous state without reported consanguinity in at least one patient (0.5 pts, PMID: 17994539, LOVD Individual # 00214553), confirmed in trans with a likely pathogenic or pathogenic variant in two patients (c.2148G>T p.(Glu716Asp), 1.0 pt, PMID: 37526466; c.967G>T (p.Glu323Ter), 1.0 pt, PMID: 38391941), and in unknown phase with a pathogenic variant in three patients (c.2242C>T p.(Arg748Ter), 0.5 pts x2 = 1.0 pt, PMID: 16141003, 18854869, LOVD Individuals 00214012, 00214187; c.1865_1866del p.(Glu622GlyfsTer9), 0.5 pts, PMID: 16650086, LOVD Individual #00214391) (PM3_Very Strong). At least one patient with this variant and a second presumed diagnostic variant in CAPN3 displayed progressive limb girdle muscle weakness and significantly reduced expression of calpain-3 protein in skeletal muscle, which is specific for CAPN3-related LGMD (PMID: 18854869; PP4_Moderate). The filtering allele frequency of this variant in gnomAD v4.1.0 exomes is 0.000027195 (the upper threshold of the 95% CI of 21/1111998 European (non-Finnish) chromosomes) , which is less than the ClinGen LGMD VCEP threshold (≤ 0.0001) (PM2_Supporting). In summary, this variant meets the criteria to be classified as Pathogenic for autosomal recessive limb girdle muscular dystrophy based on the ACMG/AMP criteria applied, as specified by the ClinGen LGMD VCEP (LGMD VCEP specifications version 1.0.0; 06/24/2025): PM3_Very Strong, PP4_Moderate, PM2_Supporting, PM4.

Met criteria codes

PM3_Very Strong



This variant has been identified in at least 8 individuals with features consistent with LGMD (PMID: 16141003, 17994539, 16650086, 31555977, 18854869, 38391941, LOVD CAPN3_000200), including in a homozygous state without reported consanguinity in at least one patient (0.5 pts, PMID: 17994539, LOVD Individual # 00214553), confirmed in trans with a likely pathogenic or pathogenic variant in two patients (c.2148G>T p.(Glu716Asp), 1.0 pt, PMID: 37526466; c.967G>T (p.Glu323Ter), 1.0 pt, PMID: 38391941), and in unknown phase with a pathogenic variant in three patients (c.2242C>T p.(Arg748Ter), 0.5 pts x2 = 1.0 pt, PMID: 16141003, 18854869, LOVD Individuals 00214012, 00214187; c.1865_1866del p.(Glu622GlyfsTer9), 0.5 pts, PMID: 16650086, LOVD Individual #00214391) (PM3_Very Strong). c.2148G>T p.(Glu716Asp) can be classified as LP without this case but has a final classification of P c.2242C>T p.(Arg748Ter) is independently P and is not in gnomAD v2 and so co-occurrence cannot be assessed c.1865_1866del p.(Glu622GlyfsTer9) is independently P and not in gnomAD v2 and so co-occurrence cannot be evaluated

PP4_Moderate



At least one patient with this variant and a second presumed diagnostic variant in CAPN3 displayed progressive limb girdle muscle weakness and significantly reduced expression of calpain-3 protein in skeletal muscle, which is specific for CAPN3-related LGMD (PMID: 18854869; PP4_Moderate).

PM4



The variant is predicted to cause a change in the length of the protein due to an in-frame deletion of one amino acid (PM4). Glu467 is the second of two Glu residues. The sequence of this region includes 3 repeats of GGA, and deletion of either the first, c.1395_1397del, or the third, c.1401_1403del, result in the same protein consequence. Should this be considered a "repeat region"? Not applying this code would not change the variant classification in light of the considerable case data (PM3_Very Strong).

PM2_Supporting



The filtering allele frequency of this variant in gnomAD v4.1.0 exomes is 0.000027195 (the upper threshold of the 95% CI of 21/1111998 European (non-Finnish) chromosomes) , which is less than the ClinGen LGMD VCEP threshold

(≤ 0.0001) (PM2_Supporting).

Curation History



 ▾

 ▾

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.