

Variant: NM\_001130987.2(DYSF):c.1488dup (p.Asp497fs)

Version: 1.0

CA222127 [↗](#)

94271 (ClinVar) [↗](#)

**Gene:** DYSF ([HGNC:8291](#))

**Condition:** autosomal recessive limb-girdle muscular dystrophy ([MONDO:0015152](#))

**Inheritance Mode:** Autosomal recessive inheritance

**UUID:** d860540d-b737-48aa-8f08-93542db1421b

**Approved on:** 2025/7/29

**Published on:** 2025/8/14

HGVS expressions

NM\_001130987.2(DYSF):c.1488dup (p.Asp497fs)

NM\_001130987.2:c.1488dup

NC\_000002.12:g.71535306dup

CM000664.2:g.71535306dup

NC\_000002.11:g.71762436dup

CM000664.1:g.71762436dup

NC\_000002.10:g.71615944dup

NG\_008694.1:g.86684dup

ENST00000258104.8:c.1392dup

ENST00000410020.8:c.1488dup

ENST00000258104.7:c.1392dup

ENST00000394120.6:c.1395dup

ENST00000409366.5:c.1395dup

ENST00000409582.7:c.1485dup

ENST00000409651.5:c.1488dup

ENST00000409744.5:c.1395dup

ENST00000409762.5:c.1485dup

ENST00000410020.7:c.1488dup

ENST00000410041.1:c.1488dup

ENST00000413539.6:c.1485dup

ENST00000429174.6:c.1392dup

NM\_001130455.1:c.1395dup

NM\_001130976.1:c.1392dup

NM\_001130977.1:c.1392dup

NM\_001130978.1:c.1392dup

NM\_001130979.1:c.1485dup

NM\_001130980.1:c.1485dup

NM\_001130981.1:c.1485dup

NM\_001130982.1:c.1488dup

NM\_001130983.1:c.1395dup

NM\_001130984.1:c.1395dup

NM\_001130985.1:c.1488dup

NM\_001130986.1:c.1395dup

NM\_001130987.1:c.1488dup

NM\_003494.3:c.1392dup

NM\_001130455.2:c.1395dup

NM\_001130976.2:c.1392dup

NM\_001130977.2:c.1392dup  
NM\_001130978.2:c.1392dup  
NM\_001130979.2:c.1485dup  
NM\_001130980.2:c.1485dup  
NM\_001130981.2:c.1485dup  
NM\_001130982.2:c.1488dup  
NM\_001130983.2:c.1395dup  
NM\_001130984.2:c.1395dup  
NM\_001130985.2:c.1488dup  
NM\_001130986.2:c.1395dup  
NM\_003494.4:c.1392dup

Pathogenic

Met criteria codes 4

- PVS1
- PM2\_Supporting
- PM3
- PP4\_Strong

Evidence Links 0

Expert Panel

Limb Girdle Muscular Dystrophy VCEP

Criteria Specification Information

- [Criteria Specification:](#) ClinGen Limb Girdle Muscular Dystrophy Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for DYSF Version 1.0.0
- [Criteria Specification Approval History](#)
- [Criteria Specifications for this VCEP](#)

Evidence submitted by expert panel

Limb Girdle Muscular Dystrophy VCEP

The NM\_003494.4: c.1392dup p.(Asp465ArgfsTer9) variant in DYSF, which is also known as NM\_001130987.2: c.1488dup (p.Asp497ArgfsTer9), is a frameshift variant predicted to cause a premature stop codon in biologically relevant exon 16/55, leading to nonsense mediated decay in a gene in which loss of function is an established disease mechanism (PVS1). This variant has been detected in at least five individuals with features of LGMD (PMID: 27602406, 36983702), including in a homozygous state in one patient without reported familial consanguinity (0.5 pts, PMID: 27602406) and in unknown phase with a pathogenic variant in two patients (NM\_003494.4: c.5698\_5699del p.(Ser1900GlnfsTer14), 0.5 pts, PMID: 27602406; NM\_003494.4: c.1481-1G>A, 0.5 pts, PMID: 27602406) (PM3). At least one patient with this variant displayed a clinical suspicion of LGMD and severely reduced or absent dysferlin protein expression in skeletal muscle or blood monocytes, which is highly specific for DYSF-associated LGMD (PP4\_Strong, PMID: 27602406, 33610434). The filtering allele frequency of this variant is 0.000012981 in gnomAD v4.1.0 exomes (the upper threshold of the 95% CI of 8/1111992 European (non-Finnish) chromosomes), which is less than the ClinGen LGMD VCEP threshold ( $\leq 0.0001$ ) (PM2\_Supporting). In summary, this variant meets the criteria to be classified as Pathogenic for autosomal recessive limb-girdle muscular dystrophy based on the ACMG/AMP criteria applied, as specified by the ClinGen LGMD VCEP (LGMD VCEP specifications version 1.0.0; 07/29/2025): PVS1, PM3, PP4\_Strong, PM2\_Supporting.

Met criteria codes

PVS1



The NM\_003494.4: c.1392dup p.(Asp465ArgfsTer9) variant in DYSF, which is also known as NM\_001130987.2: c.1488dup (p.Asp497ArgfsTer9), is a frameshift variant predicted to cause a premature stop codon in biologically relevant exon 16/55, leading to nonsense mediated decay in a gene in which loss of function is an established disease mechanism (PVS1).

PM2\_Supporting



The filtering allele frequency of this variant is 0.000012981 in gnomAD v4.1.0 exomes (the upper threshold of the 95% CI of 8/1111992 European (non-Finnish) chromosomes), which is less than the ClinGen LGMD VCEP threshold ( $\leq 0.0001$ ) (PM2\_Supporting).

|            |                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PM3        |   | This variant has been detected in at least five individuals with features of LGMD (PMID: 27602406, 36983702), including in a homozygous state in one patient without reported familial consanguinity (0.5 pts, PMID: 27602406) and in unknown phase with a pathogenic variant in two patients (NM_003494.4: c.5698_5699del p.(Ser1900GlnfsTer14), 0.5 pts, PMID: 27602406; NM_003494.4: c.1481-1G>A, 0.5 pts, PMID: 27602406) (PM3). c.5698_5699del p.(Ser1900GlnfsTer14) and c.1481-1G>A are independently P the curated variant and c.5698_5699del p.(Ser1900GlnfsTer14) are predicted on different haplotypes c.1481-1G>A is absent from gnomAD v2 |
| PP4_Strong |   | At least one patient with this variant displayed a clinical suspicion of LGMD and severely reduced or absent dysferlin protein expression in skeletal muscle or blood monocytes, which is highly specific for DYSF-associated LGMD (PP4_Strong, PMID: 27602406, 33610434).                                                                                                                                                                                                                                                                                                                                                                            |

Curation History 



▼

▼

Showing 1 to 1 of 1 rows

|  |
|--|
|  |
|--|

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.