

Variant: *NM_000070.3(CAPN3):c.2243G>A (p.Arg748Gln)*

Version: 1.0

CA345536 [↗](#)

128570 (ClinVar) [↗](#)

Gene: CAPN3 ([HGNC:825](#))

Condition: autosomal recessive limb-girdle muscular dystrophy
([MONDO:0015152](#))

Inheritance Mode: Autosomal recessive inheritance

UUID: e621ac33-dbf3-42fe-b8c2-4a3287c347d1

Approved on: 2026/3/12

Published on: 2026/4/9

HGVS expressions

NM_000070.3(CAPN3):c.2243G>A (p.Arg748Gln)

NM_000070.3:c.2243G>A

NC_000015.10:g.42410646G>A

CM000677.2:g.42410646G>A

NC_000015.9:g.42702844G>A

CM000677.1:g.42702844G>A

NC_000015.8:g.40490136G>A

NG_008660.1:g.67544G>A

ENST00000337571.9:c.248G>A

ENST00000349748.8:c.1967G>A

ENST00000357568.8:c.2225G>A

ENST00000397163.8:c.2243G>A

ENST00000397204.9:c.248G>A

ENST00000466222.7:n.599G>A

ENST00000466369.5:n.2734G>A

ENST00000495723.1:n.3114G>A

ENST00000549793.5:n.2456G>A

ENST00000562199.2:c.247G>A

ENST00000567817.6:c.32G>A

ENST00000568153.2:c.109G>A

ENST00000569136.6:c.248G>A

ENST00000638141.2:n.1982G>A

ENST00000673646.1:c.807G>A

ENST00000673684.1:n.225G>A

ENST00000673687.1:n.843G>A

ENST00000673692.1:c.248G>A

ENST00000673705.1:c.569G>A

ENST00000673743.1:c.146G>A

ENST00000673750.1:c.248G>A

ENST00000673771.1:c.248G>A

ENST00000673774.1:n.1376G>A

ENST00000673839.1:c.248G>A

ENST00000673851.1:c.248G>A

ENST00000673854.1:n.5665G>A

ENST00000673886.1:c.248G>A

ENST00000673890.1:c.248G>A

ENST00000673928.1:c.248G>A

	ENST00000673936.1:c.248G>A ENST00000673939.1:c.248G>A ENST00000673950.1:n.517G>A ENST00000673978.1:c.386G>A ENST00000673987.1:c.248G>A ENST00000674011.1:c.248G>A ENST00000674018.1:c.248G>A ENST00000674027.1:n.394G>A ENST00000674041.1:c.248G>A ENST00000674052.1:c.467G>A ENST00000674093.1:c.248G>A ENST00000674119.1:c.248G>A ENST00000674135.1:c.425G>A ENST00000674139.1:c.248G>A ENST00000674146.1:c.248G>A ENST00000674149.1:c.248G>A ENST00000318023.11:c.2099G>A ENST00000337571.8:c.248G>A ENST00000349748.7:c.1967G>A ENST00000356316.7:c.248G>A ENST00000357568.7:c.2225G>A ENST00000397163.7:c.2243G>A ENST00000397200.8:c.707G>A ENST00000397204.8:c.248G>A ENST00000466222.6:n.1166G>A ENST00000561817.5:c.248G>A ENST00000562199.1:n.247G>A ENST00000564503.5:c.286G>A ENST00000565274.5:c.421G>A ENST00000565559.5:c.425G>A ENST00000567817.5:c.59G>A ENST00000569136.5:c.248G>A ENST00000569827.5:c.575G>A NM_000070.2:c.2243G>A NM_024344.1:c.2225G>A NM_173087.1:c.1967G>A NM_173088.1:c.707G>A NM_173089.1:c.248G>A NM_173090.1:c.248G>A NM_024344.2:c.2225G>A NM_173087.2:c.1967G>A NM_173088.2:c.707G>A NM_173089.2:c.248G>A NM_173090.2:c.248G>A
--	--

Pathogenic

Met criteria codes 4

PM3_Strong

PP4_Strong

PP1

PP3

Not Met criteria codes 2

PM2

BP7

Expert Panel

Limb Girdle Muscular Dystrophy VCEP



Criteria Specification Information

Evidence submitted by expert panel

Limb Girdle Muscular Dystrophy VCEP

The NM_000070.3: c.2243G>A variant in CAPN3 is a missense variant expected to result in the substitution of arginine with glutamine at amino acid 748, p.(Arg748Gln). Across a selection of the available literature, this variant has been reported in at least 16 individuals with features consistent with LGMD (PMID: 32994280, 22443334, 15689361, 30838351; LOVD CAPN3_000028), including in a homozygous state without reported consanguinity in at least six unrelated patients of Chinese, Turkish, and Spanish ancestry (1.0 pt; PMID: 32994280, 22443334, 15689361, 30838351). It has also been identified in unconfirmed phase with a pathogenic variant in at least two patients (c.2120A>G p.(Asp707Gly), 0.5 pts, PMID: 32994280, LOVD Individual #00311286; c.2362_2363delinsTCATCT p.(Arg788SerfsTer14), 0.5 pts, PMID: 15689361, LOVD Individual #00214354) (PM3_Strong). This variant was identified in a homozygous state in one individual with both progressive limb girdle muscle weakness and absent calpain-3 protein expression in skeletal muscle, which is highly specific for CAPN3-related LGMD (PMID: 22443334; PP4_Strong). In addition, this variant has also been shown to co-segregate with autosomal recessive LGMD in one affected family member (PMID: 30838351; PP1). The upper bound of the 95% confidence interval (95% CI) of the highest population variant allele frequency in gnomAD v4.1.0 is 0.0002408 (8/59942 Admixed American chromosomes), which is higher than the threshold of 0.0001 (PM2_Supporting not met). This variant had no effect on splicing in a mini-gene assay (PMID: 32668095), but a deleterious effect of the amino acid change cannot be excluded (BP7_Strong not met), and the computational predictor REVEL gives a score of 0.724, which is above the LGMD VCEP threshold of 0.70, evidence that correlates with impact to CAPN3 function (PP3). In summary, this variant meets the criteria to be classified as Pathogenic for autosomal recessive limb girdle muscular dystrophy based on the ACMG/AMP criteria applied, as specified by the ClinGen LGMD VCEP (LGMD VCEP specifications version 2.0.0; 03/12/2026): PM3_Strong, PP4_Strong, PP1, PP3.

Met criteria codes

PM3_Strong			Across a selection of the available literature, this variant has been reported in at least 16 individuals with features consistent with LGMD (PMID: 32994280, 22443334, 15689361, 30838351; LOVD CAPN3_000028), including in a homozygous state without reported consanguinity in at least six unrelated patients of Chinese, Turkish, and Spanish ancestry (1.0 pt; PMID: 32994280, 22443334, 15689361, 30838351). It has also been identified in unconfirmed phase with a pathogenic variant in at least two patients (c.2120A>G p.(Asp707Gly), 0.5 pts, PMID: 32994280, LOVD Individual #00311286; c.2362_2363delinsTCATCT p.(Arg788SerfsTer14), 0.5 pts, PMID: 15689361, LOVD Individual #00214354) (PM3_Strong). variants in unconfirmed phase: c.2120A>G p.(Asp707Gly) - predicted on different haplotypes c.2362_2363delinsTCATCT p.(Arg788SerfsTer14) - absent from gnomAD, cannot assess co-occurrence prediction
PP4_Strong			This variant has been identified in a homozygous state in one individual with both progressive limb girdle muscle weakness and absent calpain-3 protein expression in skeletal muscle, which is highly specific for CAPN3-related LGMD (PMID: 22443334; PP4_Strong).
PP1			This variant has also been shown to co-segregate with autosomal recessive LGMD in one affected family member (PMID: 30838351; PP1).
PP3			The computational predictor REVEL gives a score of 0.724, which is above the LGMD VCEP threshold of 0.70, evidence that correlates with impact to CAPN3 function (PP3). SpliceAI 0.01

Not Met criteria codes

PM2	✖	The upper bound of the 95% confidence interval (95% CI) of the highest population variant allele frequency in gnomAD v4.1.0 is 0.0002408 (8/59942 Admixed American chromosomes), which is higher than the threshold of 0.0001 (PM2_Supporting not met).
BP7	 ✖	This variant had no effect on splicing in a mini-gene assay (PMID: 32668095), but a deleterious effect of the amino acid change cannot be excluded (BP7_Strong not met).

Curation History



 ▾

 ▾

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.