

Variant: *NM_000038.6(APC):c.7489dup (p.Ser2497fs)*

Version: 1.0

CA562217619 [↗](#)

653103 (ClinVar) [↗](#)

Gene: APC ([HGNC:324](#))

Condition: familial adenomatous polyposis 1 ([MONDO:0021056](#))

Inheritance Mode: Autosomal dominant inheritance

UUID: e6f7176c-9897-4cb6-b594-c07a09e9054d

Approved on: 2025/5/16

Published on: 2025/5/16

HGVS expressions

NM_000038.6:c.7489dup

NM_000038.6(APC):c.7489dup (p.Ser2497fs)

NC_000005.10:g.112843083dup

CM000667.2:g.112843083dup

NC_000005.9:g.112178780dup

CM000667.1:g.112178780dup

NC_000005.8:g.112206679dup

NG_008481.4:g.155563dup

ENST00000504915.3:c.7543dup

ENST00000505350.2:c.*7495dup

ENST00000507379.6:c.7435dup

ENST00000509732.6:c.7489dup

ENST00000512211.7:c.7489dup

ENST00000257430.9:c.7489dup

ENST00000257430.8:c.7489dup

ENST00000508376.6:c.7489dup

ENST00000520401.1:c.231-13566dup

NM_000038.5:c.7489dup

NM_001127510.2:c.7489dup

NM_001127511.2:c.7435dup

NM_001354895.1:c.7489dup

NM_001354896.1:c.7543dup

NM_001354897.1:c.7519dup

NM_001354898.1:c.7414dup

NM_001354899.1:c.7405dup

NM_001354900.1:c.7366dup

NM_001354901.1:c.7312dup

NM_001354902.1:c.7216dup

NM_001354903.1:c.7186dup

NM_001354904.1:c.7111dup

NM_001354905.1:c.7009dup

NM_001354906.1:c.6640dup

NM_001127510.3:c.7489dup

NM_001127511.3:c.7435dup

NM_001354895.2:c.7489dup

NM_001354896.2:c.7543dup

NM_001354897.2:c.7519dup

NM_001354898.2:c.7414dup
NM_001354899.2:c.7405dup
NM_001354900.2:c.7366dup
NM_001354901.2:c.7312dup
NM_001354902.2:c.7216dup
NM_001354903.2:c.7186dup
NM_001354904.2:c.7111dup
NM_001354905.2:c.7009dup
NM_001354906.2:c.6640dup

Pathogenic

Met criteria codes 3

PS4_Supporting

PVS1

PM2_Supporting

Evidence Links 0

Expert Panel

InSiGHT Hereditary Colorectal Cancer/Polypsis VCEP [↗](#)

Criteria Specification Information

[↗](#) **Criteria Specification:** *ClinGen InSiGHT Hereditary Colorectal Cancer/Polypsis Expert Panel Specifications to the ACMG/AMP Variant Interpretation Guidelines for APC Version 2.1.0*

[↗](#) **Criteria Specification Approval History**

[↗](#) **Criteria Specifications for this VCEP**

Evidence submitted by expert panel

InSiGHT Hereditary Colorectal Cancer/Polypsis VCEP

The NM_000038.6(APC):c.7489dup (p.Ser2497PhefsTer14) variant in APC is a frameshift variant located between codon 49 and 2645 and predicted to cause a premature stop codon in exon 16 in a gene in which loss-of-function is an established disease mechanism (PVS1). The total minor allele frequency in gnomAD v2.1.1 (non-cancer) is 0.0004% (1/236770 alleles), which is lower than the ClinGen InSiGHT Hereditary Colorectal Cancer/Polypsis VCEP (HCCP VCEP) threshold < 0.001% (0.00001) for PM2_Supporting if the allele count is ≤ 1 and therefore meets this criterion (PM2_Supporting). This variant has been reported in 1 family meeting phenotypic criteria, resulting in a total phenotype score of 1 (PS4_Supporting, Invitae internal data). Moreover, the variant has been reported in one additional proband with a colorectal cancer/polypsis associated phenotype not meeting phenotypic criteria and in three unaffected individuals with a family history of gastrointestinal cancer and/or colorectal polyps (Ambry Genetics and Invitae internal data). In summary, this variant meets the criteria to be classified as Pathogenic for autosomal-dominant inherited FAP based on the ACMG/AMP criteria applied, as specified by the ClinGen HCCP VCEP: criteria PVS1, PS4_Supporting and PM2_Supporting applied (VCEP specifications version v2.0.3; date of approval 7/24/2023).

Met criteria codes

PS4_Supporting



This variant has been reported in 1 family meeting phenotypic criteria, resulting in a total phenotype score of 1 (PS4_Supporting, Invitae internal data). Moreover, the variant has been reported in one additional proband with a colorectal cancer/polypsis associated phenotype not meeting phenotypic criteria and in three unaffected individuals with a family history of gastrointestinal cancer and/or colorectal polyps (Ambry Genetics and Invitae internal data).

PVS1



The NM_000038.6(APC):c.7489dup (p.Ser2497PhefsTer14) variant in APC is a frameshift variant located between codon 49 and 2645 and predicted to cause a premature stop codon in exon 16 in a gene in which loss-of-function is an established disease mechanism (PVS1).

PM2_Supporting ⓘ ✓

The total minor allele frequency in gnomAD v2.1.1 (non-cancer) is 0.0004% (1/236770 alleles), which is lower than the ClinGen InSiGHT Hereditary Colorectal Cancer/Polyposis VCEP (HCCP VCEP) threshold < 0.001% (0.00001) for PM2_Supporting if the allele count is ≤ 1 and therefore meets this criterion (PM2_Supporting).

Curation History ↗

▼

▼

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.