

Variant: NM_000277.2(PAH):c.472C>T (p.Arg158Trp)

CA229570 [↗](#)

102693 (ClinVar) [↗](#)

Gene: PAH ([HGNC:5053](#))

Condition: phenylketonuria ([MONDO:0009861](#))

Inheritance Mode: Autosomal recessive inheritance

UUID: faad1844-5076-4b6f-b671-eeb06035449a

Approved on: 2018-08-10

Published on: 2018-12-10

HGVS expressions

NM_000277.2:c.472C>T

NM_000277.2(PAH):c.472C>T (p.Arg158Trp)

NC_000012.12:g.102866633G>A

CM000674.2:g.102866633G>A

NC_000012.11:g.103260411G>A

CM000674.1:g.103260411G>A

NC_000012.10:g.101784541G>A

NG_008690.1:g.55970C>T

NG_008690.2:g.96778C>T

NM_000277.1:c.472C>T

NM_001354304.1:c.472C>T

NM_000277.3:c.472C>T

ENST00000307000.7:c.457C>T

ENST00000549111.5:n.568C>T

ENST00000551988.5:n.530+10829C>T

ENST00000553106.5:c.472C>T

Pathogenic

Met criteria codes **5**

PP4_Moderate

PS3

PP3

PM3_Strong

PM2

Evidence Links **5**

Expert Panel

Phenylketonuria VCEP [↗](#)

Criteria Specification Information **!**

[↗](#) **Criteria Specifications for this VCEP**

Evidence submitted by expert panel

Phenylketonuria VCEP

PAH-specific ACMG/AMP criteria applied: PM2: Extremely low frequency. ExAC MAF=0.00019.; PP3: Predicted deleterious in SIFT, Polyphen-2, MutationTaster. REVEL=0.939; PS3: 2% mutant enzyme activity in BioPKU; PP4_Moderate: Detected in at least 3 patients with PAH deficiency. BH4 deficiency ruled out in 1 patient. (PMID:1307609; PMID:10429004; PMID:9634518); PM3_Strong: Detected with 3 pathogenic/likely pathogenic variants (PMID:14681498; PMID:23430918). In summary this variant meets criteria to be classified as pathogenic for phenylketonuria in an autosomal recessive manner based on the ACMG/AMP criteria applied as specified by the PAH Expert Panel: (PM2, PP3, PS3, PP4_Moderate, PM3_Strong).

Met criteria codes

PP4_Moderate			Detected in at least 3 patients with PAH deficiency. BH4 deficiency ruled out in 1 patient.
<hr/>			
R158W was detected. In all patients, hyperphenylalaninemia had been detected by national mass screening programs, and PAH deficiency had been assessed after exclusion of a defect in tetrahydrobiopterin metabolism.			
PubMed:9634518 			
A novel Arg158 (CGG)-to-Trp158 (TGG) mutation was identified in exon 5 of the PAH gene in a Chinese PKU patient.			
PubMed:1307609 			
R158W was observed in the study. PubMed:10429004 			
PS3			2% mutant enzyme activity in BioPKU
PP3			Predicted deleterious in SIFT, Polyphen-2, MutationTaster. REVEL=0.939
PM3_Strong			Detected with 3 pathogenic/likely pathogenic variants
<hr/>			
Table 2. Mutant Genotypes. p.R158W: p.R261P (VarID102832, LP). p.R158W: p.R408W (VarID577, Path). p.I65T (VarID:636, P/LP): p.R158W. PubMed:23430918 			
In case 2, P407S (VarID102568, clinical significance not provided) was detected in one allele and R158W in the other allele. PubMed:14681498 			
PM2			Extremely low frequency. ExAC MAF=0.00019.

Curation History



 

 

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.