

Variant: NM_007294.4(BRCA1):c.101C>T (p.Pro34Leu)

Version: 1.0

CA000691 [↗](#)

186913 (ClinVar) [↗](#)

Gene: BRCA1 ([HGNC:672](#))

Condition: BRCA1-related cancer predisposition ([MONDO:0700268](#))

Inheritance Mode: Autosomal dominant inheritance

UUID: fb382bbb-2346-4169-a45f-4d4247e75156

Approved on: 2026/1/5

Published on: 2026/1/5

HGVS expressions

NM_007294.4:c.101C>T

NM_007294.4(BRCA1):c.101C>T (p.Pro34Leu)

NC_000017.11:g.43115759G>A

CM000679.2:g.43115759G>A

NC_000017.10:g.41267776G>A

CM000679.1:g.41267776G>A

NC_000017.9:g.38521302G>A

NG_005905.2:g.102225C>T

ENST00000354071.8:n.165C>T

ENST00000461574.2:c.101C>T

ENST00000470026.6:c.101C>T

ENST00000473961.6:c.101C>T

ENST00000476777.6:c.101C>T

ENST00000477152.6:c.101C>T

ENST00000478531.6:c.101C>T

ENST00000489037.2:c.101C>T

ENST00000493919.6:c.-8+8258C>T

ENST00000494123.6:c.101C>T

ENST00000497488.2:c.-219+9512C>T

ENST00000618469.2:c.101C>T

ENST00000634433.2:c.101C>T

ENST00000644379.2:c.101C>T

ENST00000644555.2:c.-41C>T

ENST00000652672.2:c.-41C>T

ENST00000484087.6:c.101C>T

ENST00000700182.1:c.101C>T

ENST00000700183.1:c.101C>T

ENST00000700184.1:n.344C>T

ENST00000700185.1:n.220C>T

ENST00000357654.9:c.101C>T

ENST00000471181.7:c.101C>T

ENST00000642945.1:c.101C>T

ENST00000644555.1:c.-41C>T

ENST00000652672.1:c.-41C>T

ENST00000352993.7:c.101C>T

ENST00000354071.7:c.101C>T

ENST00000357654.7:c.101C>T

ENST00000461221.5:c.101C>T
ENST00000468300.5:c.101C>T
ENST00000470026.5:c.101C>T
ENST00000471181.6:c.101C>T
ENST00000476777.5:c.101C>T
ENST00000477152.5:c.101C>T
ENST00000478531.5:c.101C>T
ENST00000489037.1:c.101C>T
ENST00000491747.6:c.101C>T
ENST00000492859.5:c.101C>T
ENST00000493795.5:c.-8+8258C>T
ENST00000493919.5:c.-8+8258C>T
ENST00000494123.5:c.101C>T
ENST00000497488.1:c.-219+9512C>T
ENST00000586385.5:c.4+9423C>T
ENST00000591534.5:c.-44+9512C>T
ENST00000591849.5:c.-99+9512C>T
ENST00000634433.1:c.101C>T
NM_007294.3:c.101C>T
NM_007297.3:c.-8+8258C>T
NM_007298.3:c.101C>T
NM_007299.3:c.101C>T
NM_007300.3:c.101C>T
NR_027676.1:n.262C>T
NM_007297.4:c.-8+8258C>T
NM_007299.4:c.101C>T
NM_007300.4:c.101C>T
NR_027676.2:n.303C>T

Likely Pathogenic

Met criteria codes 3

PS3 PP4_Moderate PP3

Not Met criteria codes 3

PM2 BS1 BA1

Evidence Links 1

Expert Panel

ENIGMA BRCA1 and BRCA2 VCEP

Criteria Specification Information !

Criteria Specifications for this VCEP

Evidence submitted by expert panel

ENIGMA BRCA1 and BRCA2 VCEP

The c.101C>T variant in BRCA1 is a missense variant predicted to cause substitution of proline by leucine at amino acid 34 (p.Pro34Leu). This variant is present in gnomAD v4.1 but is below the ENIGMA BRCA1/2 VCEP threshold >0.00002 for BS1_Supporting (PM2_Supporting, BS1, and BA1 are not met). This BRCA1 missense variant is within a key functional domain and a SpliceAI score of 0.01 predicts no impact on splicing (score threshold ≤0.1). The computational predictor BayesDel (noAF) gives a score of 0.45, above the recommended threshold of 0.28 for prediction of impact on BRCA1 function via protein change (PP3 met). Reported by three calibrated studies to exhibit protein function similar to pathogenic control variants (PMID:30209399, 35659930, 37168384) (PS3 met). Multifactorial likelihood ratio analysis using clinically calibrated data produced a combined LR for this variant of 5.47 (based on Case-Control LR=5.47), within the thresholds for

moderate evidence towards pathogenicity (LR ≥4.3 & <18.7) (PP4_Moderate met; PMID: 40413188). In summary, this variant meets the criteria to be classified as a Likely Pathogenic for BRCA1-related cancer predisposition based on the ACMG/AMP criteria applied as specified by the ENIGMA BRCA1/2 VCEP (PP3, PS3, PP4_Moderate).			
Met criteria codes			
PS3			Reported by three calibrated studies to exhibit protein function similar to pathogenic control variants (PMID:30209399, 35659930, 37168384) (PS3 met).
Non-functional PubMed:30209399 			
PP4_Moderate			Multifactorial likelihood ratio analysis using clinically calibrated data produced a combined LR for this variant of 5.47 (based on Case-Control LR=5.47), within the thresholds for moderate evidence towards pathogenicity (LR ≥4.3 & <18.7) (PP4_Moderate met; PMID: 40413188).
PP3			This BRCA1 missense variant is within a key functional domain and a SpliceAI score of 0.01 predicts no impact on splicing (score threshold ≤0.1). The computational predictor BayesDel (noAF) gives a score of 0.45, above the recommended threshold of 0.28 for prediction of impact on BRCA1 function via protein change (PP3 met).
Not Met criteria codes			
PM2			This variant is present in gnomAD v4.1 but is below the ENIGMA BRCA1/2 VCEP threshold >0.00002 for BS1_Supporting (PM2_Supporting, BS1, and BA1 are not met).
BS1			This variant is present in gnomAD v4.1 but is below the ENIGMA BRCA1/2 VCEP threshold >0.00002 for BS1_Supporting (PM2_Supporting, BS1, and BA1 are not met).
BA1			This variant is present in gnomAD v4.1 but is below the ENIGMA BRCA1/2 VCEP threshold >0.00002 for BS1_Supporting (PM2_Supporting, BS1, and BA1 are not met).

Curation History



 

 

Showing 1 to 1 of 1 rows

--

The information on this website is not intended for direct diagnostic use or medical decision-making without review by a genetics professional. Individuals should not change their health behavior solely on the basis of information contained on this website. If you have questions about the information contained on this website, please see a health care professional.

[ClinGen Terms of Use.](#)

[⌕ Powered by BCM's Genboree.](#)